






Purity: 0.9 Tumor ploidy: 3.381
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.9 Tumor ploidy: 3.381 SNV log−likelihood: −213.07 GoF: 48.1% Mean coverage: 266
9
14
B−Allele Frequency
0.2
0.4
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1619.44
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
5m3
3m1
1m0
3m0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.27 Tumor ploidy: 2.874
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.27 Tumor ploidy: 2.874 SNV log−likelihood: −198.4 GoF: 55.8% Mean coverage: 266
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: 1401.44
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
7m4
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 1.763
0
1
2
3
5
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.29 Tumor ploidy: 1.763 SNV log−likelihood: −220.61 GoF: 47% Mean coverage: 266
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 1424.44
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
5
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
5m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 3.763
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.42 Tumor ploidy: 3.763 SNV log−likelihood: −208.34 GoF: 0% Mean coverage: 266
9
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1345.95
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
7m4
3m1
1m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.93 Tumor ploidy: 4.464
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.93 Tumor ploidy: 4.464 SNV log−likelihood: −156.41 GoF: 82.4% Mean coverage: 266
9
11
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1224.9
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
7m4
4m2
5m1
4m0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.15
0.20
0.25
0.30
0.35
0.40
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Cellular fraction



Purity: 0.45 Tumor ploidy: 1.416
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.45 Tumor ploidy: 1.416 SNV log−likelihood: −296.29 GoF: 0% Mean coverage: 266
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1318.59
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
4m
1m0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
5
6
7
0.05
0.10
0.15
0.20
0.25
0.30
Cellular fraction



Purity: 0.72 Tumor ploidy: 4.678
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.72 Tumor ploidy: 4.678 SNV log−likelihood: −276.62 GoF: 0% Mean coverage: 266
9
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 1254.7
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
SNV Index



1m1
7m4
4m2
2m0
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.18 Tumor ploidy: 2.341
0
1
2
4
5
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.18 Tumor ploidy: 2.341 SNV log−likelihood: −220.87 GoF: 62.6% Mean coverage: 266
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 1136.32
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
7
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
7m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 4.68
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.52 Tumor ploidy: 4.68 SNV log−likelihood: −265.23 GoF: 0% Mean coverage: 266
9
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 1189
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
7
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
7m4
4m2
2m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 2.381
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.64 Tumor ploidy: 2.381 SNV log−likelihood: −474.22 GoF: 0% Mean coverage: 266
9
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1537.37
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
2m1
4m2
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.94 Tumor ploidy: 5.649
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.94 Tumor ploidy: 5.649 SNV log−likelihood: −170.63 GoF: 73.5% Mean coverage: 266
9
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 391.38
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
0
5
10
15
20
25
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
2m1
5m2
3m1
5m1
7m1
2m0
5m0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Coverage (log2)
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.15
0.20
0.25
0.30
0.35
0.40
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Frequency
0
1
2
0.2
0.4
0.6
0.8
1.0
Cellular fraction