






Purity: 0.55 Tumor ploidy: 4.317
2
3
4
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.55 Tumor ploidy: 4.317 SNV log−likelihood: −355.98 GoF: 2.8% Mean coverage: 544
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 2596.93
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
6
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
25
SNV Index



2m2
4m3
6m4
4m2
4m1
2m0
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−1.0
−0.5
0.0



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
2
4
6
8
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.43 Tumor ploidy: 3.334
0
1
2
3
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.43 Tumor ploidy: 3.334 SNV log−likelihood: −374.86 GoF: 63.7% Mean coverage: 544
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2564.93
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m3
3m2
5m3
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m3
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.165
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 3.165 SNV log−likelihood: −435.66 GoF: 0% Mean coverage: 544
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 2614.04
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
4m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 2.164
0
1
2
3
4
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.69 Tumor ploidy: 2.164 SNV log−likelihood: −538.8 GoF: 0% Mean coverage: 544
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 2651.04
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



2m2
1m1
3m2
2m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



2m2
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
2
4
6
8
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.77 Tumor ploidy: 5.33
3
4
5
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.77 Tumor ploidy: 5.33 SNV log−likelihood: −377.34 GoF: 52% Mean coverage: 544
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: 2282.04
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
3
4
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



3m3
5m4
5m3
7m4
5m2
5m1
3m0
5m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−1.0
−0.5
0.0



Frequency
Cellular fraction
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0



Purity: 0.43 Tumor ploidy: 5.245
0
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.43 Tumor ploidy: 5.245 SNV log−likelihood: −352.06 GoF: 71.5% Mean coverage: 544
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 2042.71
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
7
0
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
5m4
7m5
5m2
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 4.649
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.36 Tumor ploidy: 4.649 SNV log−likelihood: −389.01 GoF: 82.5% Mean coverage: 544
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1820.89
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
7m5
4m2
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m4
2m1
4m1



Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 2.394
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.47 Tumor ploidy: 2.394 SNV log−likelihood: −381.87 GoF: 42.9% Mean coverage: 544
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1615.62
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
m0
1m1
2m2
2m1
2m0
4m3


Coverage (log2)
Allelic fraction
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8


Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−1.0
−0.5
0.0
m1
1m1
2m2
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Power 0.8 at BQ 31
Frequency
Cellular fraction
0
1
2
3
4
5
0.0
0.2
0.4
0.6
0.8
1.0