






Purity: 0.39 Tumor ploidy: 3.974
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.39 Tumor ploidy: 3.974 SNV log−likelihood: −328.84 GoF: 55.6% Mean coverage: 491
2
12
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1257.29
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m4
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
0m1
4m2
2m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 1.985
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.52 Tumor ploidy: 1.985 SNV log−likelihood: −375.15 GoF: 0% Mean coverage: 491
1
2
12
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1263.43
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 2.974
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.35 Tumor ploidy: 2.974 SNV log−likelihood: −358.5 GoF: 65.2% Mean coverage: 491
2
12
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1188.15
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m2
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 2.986
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.64 Tumor ploidy: 2.986 SNV log−likelihood: −396.06 GoF: 0% Mean coverage: 491
1
2
12
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1228.64
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m2
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 4.926
0
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 4.926 SNV log−likelihood: −361.56 GoF: 81.9% Mean coverage: 491
2
12
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1133.05
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m1
5m5
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
5m5
5m1



Frequency
Cellular fraction



Purity: 0.74 Tumor ploidy: 4.987
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.74 Tumor ploidy: 4.987 SNV log−likelihood: −336.34 GoF: 69.8% Mean coverage: 491
1
2
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
SNV Index
SCNA−fit log−likelihood: 1053.4
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
Maximum Likelihood Copy Number
0
1
2
3
4
5



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m3
5m2
5m1
5m0
4m2
2m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m3
2m1
5m2
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.63 Tumor ploidy: 5.913
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.63 Tumor ploidy: 5.913 SNV log−likelihood: −337.24 GoF: 67% Mean coverage: 491
1
2
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 1029.08
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
4
5
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
4m2
6m3
6m2
6m1
2m0
6m0
6m6



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 3.984
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.51 Tumor ploidy: 3.984 SNV log−likelihood: −365.38 GoF: 40.7% Mean coverage: 491
2
12
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1098.26
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
4m4
4m2
3m1
1m0
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
4m3
4m2
2m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.28 Tumor ploidy: 3.989
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.28 Tumor ploidy: 3.989 SNV log−likelihood: −390.37 GoF: 81.3% Mean coverage: 491
2
12
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index
SCNA−fit log−likelihood: 1119.8
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
4m2
4m1



Frequency
Cellular fraction



Purity: 0.94 Tumor ploidy: 5.033
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.94 Tumor ploidy: 5.033 SNV log−likelihood: −351.86 GoF: 31.9% Mean coverage: 491
1
2
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 981.28
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
2m0
4m2
4m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 3.986
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.64 Tumor ploidy: 3.986 SNV log−likelihood: −386.99 GoF: 0% Mean coverage: 491
1
2
12
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 997.64
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
3m1
4m4
4m3
4m2
4m1
4m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
4m1


Power 0.8 at BQ 33
Frequency
Cellular fraction