






Purity: 0.25 Tumor ploidy: 5.54
2
3
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.25 Tumor ploidy: 5.54 SNV log−likelihood: −147.99 GoF: 85.3% Mean coverage: 390
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3385.34
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m5
5m2
5m0
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.03
0.04
0.05
0.06
0.07
0.08
0.09
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.17 Tumor ploidy: 3.619
0
1
2
3
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.17 Tumor ploidy: 3.619 SNV log−likelihood: −174.1 GoF: 75% Mean coverage: 390
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 3450.82
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
1
2
3
4
5
6
7
8
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
1
2
3
4
5
6
7
8
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
3m3
3m0
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
0m1
2m1
3m1
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.19 Tumor ploidy: 2.591
0
1
2
3
4
5
6
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.19 Tumor ploidy: 2.591 SNV log−likelihood: −173.03 GoF: 76.3% Mean coverage: 390
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: 3377.05
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
0m0
2m0
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
0m1
2m1
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.33 Tumor ploidy: 4.289
3
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.33 Tumor ploidy: 4.289 SNV log−likelihood: −138.22 GoF: 83.9% Mean coverage: 390
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3284.81
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
3
4
5
6
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m4
4m1
4m0
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.03
0.04
0.05
0.06
0.07
0.08
0.09
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
1
2
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.38 Tumor ploidy: 3.218
1
2
3
4
5
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.38 Tumor ploidy: 3.218 SNV log−likelihood: −144.86 GoF: 76.9% Mean coverage: 390
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3228.59
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
3m3
3m1
3m0
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.226
3
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.55 Tumor ploidy: 5.226 SNV log−likelihood: −157.89 GoF: 77.9% Mean coverage: 390
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 3238.48
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
2
4
6
8
10
12
14
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
14
SNV Index



5m5
5m2
5m1
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 4.207
3
4
5
6
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.56 Tumor ploidy: 4.207 SNV log−likelihood: −151.98 GoF: 70.3% Mean coverage: 390
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 3186.42
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



4m4
4m2
4m1
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−0.6
−0.4
−0.2
0.0
0.2



Coverage (log2)
Allelic fraction
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
−0.6
−0.4
−0.2
0.0
0.2



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.52 Tumor ploidy: 3.201
2
3
4
5
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.52 Tumor ploidy: 3.201 SNV log−likelihood: −137.27 GoF: 67.7% Mean coverage: 390
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3038.76
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m3
3m1
3m0
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.03
0.04
0.05
0.06
0.07
0.08
0.09
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
1
2
3
0.15
0.20
0.25
0.30
0.35
0.40
Cellular fraction



Purity: 0.43 Tumor ploidy: 5.998
3
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.43 Tumor ploidy: 5.998 SNV log−likelihood: −152.4 GoF: 84% Mean coverage: 390
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 3035.65
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
6m6
6m2
6m1
6m0
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.03
0.04
0.05
0.06
0.07
0.08
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
1
2
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.62 Tumor ploidy: 5.997
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.62 Tumor ploidy: 5.997 SNV log−likelihood: −128.37 GoF: 85.3% Mean coverage: 390
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 2808.63
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
6m5
6m2
6m1
5m0
6m0
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.03
0.04
0.05
0.06
0.07
0.08
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
1
2
3
0.2
0.3
0.4
0.5
0.6
Cellular fraction



Purity: 0.72 Tumor ploidy: 3.205
2
3
4
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.72 Tumor ploidy: 3.205 SNV log−likelihood: −166.03 GoF: 49.3% Mean coverage: 390
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 2636.93
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
SNV Index



3m3
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio
−0.6
−0.4
−0.2
0.0
0.2
0.2
0.4
0.6
0.8



Coverage (log2)
Allelic fraction
0.0
0.2
0.4
0.6
0.8
7
8
9
10



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
−0.6
−0.4
−0.2
0.0
0.2
0.1
0.2
0.3
0.4
0.5
0.6



Power 0.8 at BQ 33
Frequency
Cellular fraction
0.0
0.2
0.4
0.6
0.8
1.0
0
1
2
3
4



Purity: 0.59 Tumor ploidy: 2.205
1
2
3
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio


Purity: 0.59 Tumor ploidy: 2.205 SNV log−likelihood: −142.63 GoF: 24.3% Mean coverage: 390
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2406.97
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
12
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
2m0
0.2
0.4
0.6
0.8
−0.6
−0.4
−0.2
0.0
0.2


Coverage (log2)
Allelic fraction
7
8
9
10
0.0
0.2
0.4
0.6
0.8


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.03
0.04
0.05
0.06
0.07
0.08
0.09
−0.6
−0.4
−0.2
0.0
0.2


Frequency
Cellular fraction
0
1
2
3
4
0.10
0.15
0.20
0.25
0.30