






Purity: 0.5 Tumor ploidy: 4.521
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.5 Tumor ploidy: 4.521 SNV log−likelihood: −116.07 GoF: 13% Mean coverage: 289
14
B−Allele Frequency
0.25
0.35
0.45
0.55
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2441.62
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
3m1
5m2
5m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m1



Power 0.8 at BQ 30.5
Frequency
Cellular fraction



Purity: 0.9 Tumor ploidy: 3.264
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.9 Tumor ploidy: 3.264 SNV log−likelihood: −116.07 GoF: 0% Mean coverage: 289
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 2347.46
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
2
4
6
8
10
12
14
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
4m2
4m1
1m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.6 Tumor ploidy: 2.264
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.6 Tumor ploidy: 2.264 SNV log−likelihood: −126.28 GoF: 0% Mean coverage: 289
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 2363.71
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
SNV Index



0m0
3m1
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
4m
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 30.5
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 3.532
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.42 Tumor ploidy: 3.532 SNV log−likelihood: −189.81 GoF: 39.8% Mean coverage: 289
B−Allele Frequency
0.25
0.35
0.45
0.55
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 2422.73
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
4m1



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
6m1



Power 0.8 at BQ 30.5
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.543
1
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.45 Tumor ploidy: 5.543 SNV log−likelihood: −113.54 GoF: 54.7% Mean coverage: 289
14
B−Allele Frequency
0.25
0.35
0.45
0.55
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1924.77
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



3m2
1m0
7m2
Allelic fraction (germline)
Copy Number log−ratio
0.25
0.30
0.35
0.40
0.45
0.50
0.55
0.60
−1.5
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m1
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.06
0.08
0.10
0.12
0.14
−1.5
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
2
0.2
0.3
0.4
0.5
0.6



Purity: 0.36 Tumor ploidy: 2.573
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.36 Tumor ploidy: 2.573 SNV log−likelihood: −198.81 GoF: 50.6% Mean coverage: 289
14
B−Allele Frequency
0.25
0.35
0.45
0.55
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2036.43
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
0.25
0.30
0.35
0.40
0.45
0.50
0.55
0.60
0m0
3m1
1m0
3m0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
0.20
0.25
0.30
0.35
0.40
0.45
0.50
Cellular fraction



Purity: 0.31 Tumor ploidy: 3.991
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 3.991 SNV log−likelihood: −199.75 GoF: 63.9% Mean coverage: 289
14
B−Allele Frequency
0.25
0.35
0.45
0.55
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1705.16
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.25
0.30
0.35
0.40
0.45
0.50
0.55
0.60
0m0
2m1
5m1
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
7m1
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 30.5
Frequency
0
1
2
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.26 Tumor ploidy: 2.903
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.26 Tumor ploidy: 2.903 SNV log−likelihood: −207.27 GoF: 66.1% Mean coverage: 289
14
B−Allele Frequency
0.25
0.35
0.45
0.55
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1670.98
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index


4m3
0m0
1m0
4m1
Allelic fraction (germline)
Copy Number log−ratio
0.25
0.30
0.35
0.40
0.45
0.50
0.55
0.60
−1.5
−1.0
−0.5
0.0
0.5


Coverage (log2)
Allelic fraction
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.06
0.08
0.10
0.12
0.14
−1.5
−1.0
−0.5
0.0
0.5


Frequency
Cellular fraction
0
1
2
0.3
0.4
0.5
0.6
0.7
0.8