






Purity: 0.55 Tumor ploidy: 4.297
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.55 Tumor ploidy: 4.297 SNV log−likelihood: −356.99 GoF: 78.3% Mean coverage: 656
6
7
9
12
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1770.29
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m3
4m2
3m1
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m4
2m2
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 5.325
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.54 Tumor ploidy: 5.325 SNV log−likelihood: −350.37 GoF: 87.4% Mean coverage: 656
6
7
9
12
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1655.99
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
0
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
5m5
5m3
6m3
5m2
4m1
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1



Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 3.295
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.52 Tumor ploidy: 3.295 SNV log−likelihood: −427.14 GoF: 59% Mean coverage: 656
6
7
9
12
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1791.76
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
2m1
3m1
3m0
4m2
1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 4.403
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.35 Tumor ploidy: 4.403 SNV log−likelihood: −442.03 GoF: 85.2% Mean coverage: 656
6
9
12
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 1758.19
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
2m0
4m4
4m2
4m0
5m3



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1



Frequency
Cellular fraction



Purity: 0.38 Tumor ploidy: 2.295
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.38 Tumor ploidy: 2.295 SNV log−likelihood: −498.15 GoF: 66.6% Mean coverage: 656
6
9
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1812.98
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 3.567
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.22 Tumor ploidy: 3.567 SNV log−likelihood: −483.36 GoF: 89.8% Mean coverage: 656
6
9
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1814.89
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
3m0
3m2
3m3
5m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
1m2
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 5.316
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.42 Tumor ploidy: 5.316 SNV log−likelihood: −392 GoF: 86.8% Mean coverage: 656
6
7
9
12
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 1522.3
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
3m0
5m5
5m3
5m1
5m0
6m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 2.685
0
1
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.17 Tumor ploidy: 2.685 SNV log−likelihood: −545.4 GoF: 85.6% Mean coverage: 656
6
9
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1758.68
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
4m2
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m2
2m2
0m1
2m1



Frequency
Cellular fraction



Purity: 0.87 Tumor ploidy: 3.224
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.87 Tumor ploidy: 3.224 SNV log−likelihood: −404.21 GoF: 13.5% Mean coverage: 656
6
9
12
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1352.8
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 1.415
0
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.25 Tumor ploidy: 1.415 SNV log−likelihood: −554.18 GoF: 76.8% Mean coverage: 656
6
9
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1666.12
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
1m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1



Frequency
Cellular fraction



Purity: 0.19 Tumor ploidy: 1.592
0
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.19 Tumor ploidy: 1.592 SNV log−likelihood: −598.96 GoF: 85.3% Mean coverage: 656
6
9
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1687.84
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
1m1
0m0
1m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m2
0m1
1m1



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.224
1
2
3
4
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.59 Tumor ploidy: 2.224 SNV log−likelihood: −491.27 GoF: 0% Mean coverage: 656
6
9
12
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1372.65
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Power 0.8 at BQ 32
Frequency
Cellular fraction