






Purity: 0.27 Tumor ploidy: 3.757
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.27 Tumor ploidy: 3.757 SNV log−likelihood: −323.11 GoF: 82% Mean coverage: 421
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 2268.45
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
1m0
3m3
3m0
5m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
5m1



Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 2.384
1
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.44 Tumor ploidy: 2.384 SNV log−likelihood: −376.74 GoF: 24.4% Mean coverage: 421
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 2212.24
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m2
3m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 4.415
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.49 Tumor ploidy: 4.415 SNV log−likelihood: −333.25 GoF: 67.5% Mean coverage: 421
7
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: 1952.87
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m1
5m2
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 3.384
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.75 Tumor ploidy: 3.384 SNV log−likelihood: −336.25 GoF: 68.4% Mean coverage: 421
7
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1828.09
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
3m3
4m2
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.7 Tumor ploidy: 5.384
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.7 Tumor ploidy: 5.384 SNV log−likelihood: −302.4 GoF: 69.5% Mean coverage: 421
7
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1771.81
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
4m2
6m3
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m2
3m1
4m1
5m1
6m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.87 Tumor ploidy: 3.394
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.87 Tumor ploidy: 3.394 SNV log−likelihood: −290.19 GoF: 70.2% Mean coverage: 421
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: 1529.32
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m1
4m2
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.41 Tumor ploidy: 5.751
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.41 Tumor ploidy: 5.751 SNV log−likelihood: −337.72 GoF: 81.5% Mean coverage: 421
7
14
B−Allele Frequency
1.0
0.8
0.6
0.4
0.2
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 1580.73
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
7
6
5
4
3
2
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
7
6
5
4
3
2
1
0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m2
3m1
7m3
4m0
5m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1
5m1
7m1



Frequency
Cellular fraction



Purity: 0.4 Tumor ploidy: 1.433
0
1
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.4 Tumor ploidy: 1.433 SNV log−likelihood: −390.23 GoF: 22.8% Mean coverage: 421
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 1383.62
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
1m0
2m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.397
1
2
3
4
5
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.59 Tumor ploidy: 2.397 SNV log−likelihood: −400.15 GoF: 0% Mean coverage: 421
7
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 1394.81
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
2
4
6
8
10
12
14
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
14
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
3m1
1m0
2m0
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Power 0.8 at BQ 31
Frequency
Cellular fraction