






Purity: 0.7 Tumor ploidy: 3.678
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.7 Tumor ploidy: 3.678 SNV log−likelihood: −122.31 GoF: 0% Mean coverage: 205
3
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 1847.38
Copy Number log−ratio
−3
−2
−1
0
1
0
2
3
4
6
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m3
2m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 3.554
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.36 Tumor ploidy: 3.554 SNV log−likelihood: −156.35 GoF: 67.8% Mean coverage: 205
3
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index
SCNA−fit log−likelihood: 1845.27
Copy Number log−ratio
−3
−2
−1
0
1
0 1 3 5 7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m1



Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 2.678
0
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.52 Tumor ploidy: 2.678 SNV log−likelihood: −154.33 GoF: 54.4% Mean coverage: 205
3
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: 1740.47
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.87 Tumor ploidy: 4.672
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.87 Tumor ploidy: 4.672 SNV log−likelihood: −121.43 GoF: 0% Mean coverage: 205
3
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 1668.11
Copy Number log−ratio
−3
−2
−1
0
1
1
2
3
4
5
7
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
6m6
5m1
1m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1



Frequency
Cellular fraction



Purity: 0.8 Tumor ploidy: 1.829
1
1.5
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.8 Tumor ploidy: 1.829 SNV log−likelihood: −148.46 GoF: 34.6% Mean coverage: 205
3
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: 1260.85
Copy Number log−ratio
−3
−2
−1
0
1
1
1.5
3
4
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 5.526
0
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.56 Tumor ploidy: 5.526 SNV log−likelihood: −153.95 GoF: 51.5% Mean coverage: 205
3
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: 1198.34
Copy Number log−ratio
−3
−2
−1
0
1
0
2
3
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m7
4m4
6m1
3m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 4.323
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.29 Tumor ploidy: 4.323 SNV log−likelihood: −157.97 GoF: 68.1% Mean coverage: 205
3
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: 1212.79
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
7m1



Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 4.974
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.37 Tumor ploidy: 4.974 SNV log−likelihood: −159.7 GoF: 66.2% Mean coverage: 205
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index
SCNA−fit log−likelihood: 968.84
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m4
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m1



Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 5.984
0
2
3
4
5
6
7
8.8
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.43 Tumor ploidy: 5.984 SNV log−likelihood: −158.69 GoF: 66.7% Mean coverage: 205
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index
SCNA−fit log−likelihood: 816.03
Copy Number log−ratio
−3
−2
−1
0
1
8.8
6
4
2
0
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
5m5
0m0
6m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Frequency
Cellular fraction