






Purity: 0.31 Tumor ploidy: 2.705
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 2.705 SNV log−likelihood: −117.11 GoF: 56.5% Mean coverage: 317
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 2100.95
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
2m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 3.687
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.36 Tumor ploidy: 3.687 SNV log−likelihood: −127.97 GoF: 31% Mean coverage: 317
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 2026.23
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m1



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.53 Tumor ploidy: 1.852
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.53 Tumor ploidy: 1.852 SNV log−likelihood: −216.23 GoF: 0% Mean coverage: 317
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 2016
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.41 Tumor ploidy: 2.061
1
2
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.41 Tumor ploidy: 2.061 SNV log−likelihood: −142.98 GoF: 0% Mean coverage: 317
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 1634.55
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
7
SNV Index
Maximum Likelihood Copy Number
0.0
0.2
0.4
0.6
0.8
1.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
1m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 4.701
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.47 Tumor ploidy: 4.701 SNV log−likelihood: −158.27 GoF: 0% Mean coverage: 317
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1631.57
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
5m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.85 Tumor ploidy: 2.852
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.85 Tumor ploidy: 2.852 SNV log−likelihood: −193.23 GoF: 10.3% Mean coverage: 317
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1660.21
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.81 Tumor ploidy: 3.852
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.81 Tumor ploidy: 3.852 SNV log−likelihood: −209 GoF: 0% Mean coverage: 317
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1651.5
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.478
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 5.478 SNV log−likelihood: −129.72 GoF: 0% Mean coverage: 317
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 983.37
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



4m4
4m2
5m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
1.0
−1.2
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8
1.0



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
−1.2
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2



Power 0.8 at BQ 34
Frequency
Cellular fraction
0
1
2
3
4
5
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.78 Tumor ploidy: 5.487
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.78 Tumor ploidy: 5.487 SNV log−likelihood: −192.64 GoF: 57.3% Mean coverage: 317
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 987.63
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
5
10
15
20
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index


4m4
4m2
4m0
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio


Frequency
Cellular fraction