






Purity: 0.54 Tumor ploidy: 3.703
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.54 Tumor ploidy: 3.703 SNV log−likelihood: −275.18 GoF: 0% Mean coverage: 345
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 878.77
Copy Number log−ratio
1
0
−1
−2
−3
7
5
3
2
1
0
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
4m2
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.81 Tumor ploidy: 2.363
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.81 Tumor ploidy: 2.363 SNV log−likelihood: −225.91 GoF: 0% Mean coverage: 345
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 554.75
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m1
2m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 3.049
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 3.049 SNV log−likelihood: −312.92 GoF: 48.5% Mean coverage: 345
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 418.06
Copy Number log−ratio
−3
−2
−1
0
1
0 1 3 5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
3m2



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.85 Tumor ploidy: 3.659
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.85 Tumor ploidy: 3.659 SNV log−likelihood: −241.89 GoF: 47.2% Mean coverage: 345
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
5
10
15
SNV Index
SCNA−fit log−likelihood: 120.06
Copy Number log−ratio
1
0
−1
−2
−3
2
3
4
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m2
2m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
3m1



Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 2.732
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.51 Tumor ploidy: 2.732 SNV log−likelihood: −306.8 GoF: 0% Mean coverage: 345
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −18.17
Copy Number log−ratio
1
0
−1
−2
−3
0
1
2
3
5
7
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 1.745
0
1
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.35 Tumor ploidy: 1.745 SNV log−likelihood: −374.3 GoF: 38.4% Mean coverage: 345
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 92.06
Copy Number log−ratio
−3
−2
−1
0
1
0
1
3
5
7
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
0m0
2m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.724
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.95 Tumor ploidy: 5.724 SNV log−likelihood: −333.36 GoF: 42% Mean coverage: 345
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −429.77
Copy Number log−ratio
1
0
−1
−2
−3
3
4
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
4m3
6m3
5m1
4m0
6m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1


Power 0.8 at BQ 34
Frequency
Cellular fraction