






Purity: 0.53 Tumor ploidy: 3.709
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.53 Tumor ploidy: 3.709 SNV log−likelihood: −113.77 GoF: 52.2% Mean coverage: 313
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 1042.5
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m0
4m2
5m0
5m4
7m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
3m1
3m2
5m4



Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 4.687
0
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.65 Tumor ploidy: 4.687 SNV log−likelihood: −127.67 GoF: 0% Mean coverage: 313
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 830.84
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
6m4
5m3
0m0
7m3
3m1
4m1
2m0
6m0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.15
0.20
0.25
0.30
0.35
0.40
0.45
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.699
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 4.699 SNV log−likelihood: −145.31 GoF: 61.1% Mean coverage: 313
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 813.5
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m4
5m3
7m3
5m1
6m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.9 Tumor ploidy: 2.351
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.9 Tumor ploidy: 2.351 SNV log−likelihood: −191.51 GoF: 26.4% Mean coverage: 313
9
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 798.18
Copy Number log−ratio
−3
−2
−1
0
1
1
2
3
4
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
2m1
4m2
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2m1
3m1
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.33 Tumor ploidy: 3.079
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.33 Tumor ploidy: 3.079 SNV log−likelihood: −141.06 GoF: 82.5% Mean coverage: 313
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 465.15
Copy Number log−ratio
−3
−2
−1
0
1
0 1 3 5 7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
3m2
0m0
7m3
1m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
5m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.713
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 5.713 SNV log−likelihood: −145.64 GoF: 44.3% Mean coverage: 313
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 354.27
Copy Number log−ratio
−3
−2
−1
0
1
3
4
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m5
6m3
5m1
7m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.3 Tumor ploidy: 4.353
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.3 Tumor ploidy: 4.353 SNV log−likelihood: −139.93 GoF: 86.1% Mean coverage: 313
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 92.59
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
4m0
5m3
7m5



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
4m4
6m1



Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 1.759
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.37 Tumor ploidy: 1.759 SNV log−likelihood: −171.3 GoF: 70.2% Mean coverage: 313
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: −278.83
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m1
3m2
4m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 2.712
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.44 Tumor ploidy: 2.712 SNV log−likelihood: −128.99 GoF: 72.8% Mean coverage: 313
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −515.48
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m2
4m0
4m3
6m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m2
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 3.523
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.25 Tumor ploidy: 3.523 SNV log−likelihood: −170.55 GoF: 88.1% Mean coverage: 313
9
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: −429.19
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
7
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
4m2
3m1
1m0
6m5


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
0m1


Frequency
Cellular fraction