






Purity: 0.2 Tumor ploidy: 2.195
0
1
2
3
4
6
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.2 Tumor ploidy: 2.195 SNV log−likelihood: −150.68 GoF: 94.1% Mean coverage: 392
9
14
B−Allele Frequency
0.35
0.40
0.45
0.50
0.55
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 799.35
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



2m2
2m1
1m0
2m0
Allelic fraction (germline)
0.35
0.40
0.45
0.50
0.55
−0.2
0.0
0.2
0.4
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
m1
2m1
Allelic fraction (somatic)
0.05
0.10
0.15
−0.2
0.0
0.2
0.4
Copy Number log−ratio



Frequency
0
1
2
3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.17 Tumor ploidy: 3.891
1
2
3
4
5
6
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.17 Tumor ploidy: 3.891 SNV log−likelihood: −156.66 GoF: 91.6% Mean coverage: 392
9
14
B−Allele Frequency
0.35
0.40
0.45
0.50
0.55
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 824.03
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
3
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
0.35
0.40
0.45
0.50
0.55
3m2
4m2
3m0
−0.2
0.0
0.2
0.4
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
4m2
m1
4m1
−0.2
0.0
0.2
0.4
Copy Number log−ratio



Frequency
0
1
2
3
4
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.52 Tumor ploidy: 5.185
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.52 Tumor ploidy: 5.185 SNV log−likelihood: −131.37 GoF: 81.3% Mean coverage: 392
2
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index



SCNA−fit log−likelihood: 751.26
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
4
5
6
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m3
5m2
5m1
4m0
5m0
0.1
0.2
0.3
0.4
0.5
0.6
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.050
0.055
0.060
0.065
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
0.30
0.35
0.40
0.45



Purity: 0.55 Tumor ploidy: 4.2
3
4
5
7
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.55 Tumor ploidy: 4.2 SNV log−likelihood: −131.56 GoF: 78.4% Mean coverage: 392
2
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index



SCNA−fit log−likelihood: 651.02
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m2
4m1
4m0
3m0
0.1
0.2
0.3
0.4
0.5
0.6
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.050
0.055
0.060
0.065
0.070
0.075
0.080
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
0.25
0.30
0.35
0.40



Purity: 0.45 Tumor ploidy: 3.219
2
3
4
6
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.45 Tumor ploidy: 3.219 SNV log−likelihood: −148.75 GoF: 70.6% Mean coverage: 392
2
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 643.72
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
6
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
14
SNV Index



3m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.3
0.4
0.5
0.6
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.06
0.08
0.10
0.12
0.14
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
2
0.2
0.4
0.6
0.8
1.0



Purity: 0.95 Tumor ploidy: 5.2
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 5.2 SNV log−likelihood: −146.68 GoF: 71% Mean coverage: 392
2
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 612.63
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
4
5
6
7
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
14
SNV Index



5m3
5m2
5m1
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.3
0.4
0.5
0.6
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.06
0.08
0.10
0.12
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
0.2
0.3
0.4
0.5
0.6



Purity: 0.5 Tumor ploidy: 6
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.5 Tumor ploidy: 6 SNV log−likelihood: −131.3 GoF: 81.4% Mean coverage: 392
2
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index



SCNA−fit log−likelihood: 386.75
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
4
5
6
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



5m3
6m3
5m2
6m2
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.050
0.055
0.060
0.065
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
0.30
0.35
0.40
0.45
0.50
0.55
0.60



Purity: 0.35 Tumor ploidy: 5.996
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.35 Tumor ploidy: 5.996 SNV log−likelihood: −135.58 GoF: 80.8% Mean coverage: 392
2
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 280.91
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
4
5
6
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m2
6m2
5m1
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.005
2
3
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.59 Tumor ploidy: 2.005 SNV log−likelihood: −124.55 GoF: 46.8% Mean coverage: 392
2
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 207.18
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
2m0
0.2
0.3
0.4
0.5
0.6
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.06
0.08
0.10
0.12
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
0.15
0.20
0.25
0.30



Purity: 0.95 Tumor ploidy: 3.007
3
4
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio


Purity: 0.95 Tumor ploidy: 3.007 SNV log−likelihood: −185.21 GoF: 30.9% Mean coverage: 392
9
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 188.84
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
SNV Index


Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
3m1
−0.2
0.0
0.2
0.4
Copy Number log−ratio


Coverage (log2)
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction


Allelic fraction (somatic)
0.08
0.10
0.12
0.14
0.16
0.18
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.2
0.0
0.2
0.4
Copy Number log−ratio


Frequency
0
1
2
0.2
0.3
0.4
0.5
0.6
Cellular fraction