






Purity: 0.6 Tumor ploidy: 5.949
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.6 Tumor ploidy: 5.949 SNV log−likelihood: −135.82 GoF: 77.6% Mean coverage: 388
7
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 1016.72
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



5m5
4m3
6m1
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.06
0.07
0.08
0.09
0.10
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Frequency
Cellular fraction
0
1
2
3
4
5
0.20
0.25
0.30
0.35
0.40
0.45



Purity: 0.8 Tumor ploidy: 4.952
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.8 Tumor ploidy: 4.952 SNV log−likelihood: −137.22 GoF: 80% Mean coverage: 388
7
11
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1004.87
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1
Copy Number log−ratio
4m0
5m1
5m0



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.11
0.12
0.13
0.14
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
0
1
2
3
4
0.30
0.35
0.40
0.45
0.50
0.55
0.60
Cellular fraction



Purity: 0.54 Tumor ploidy: 4.95
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.54 Tumor ploidy: 4.95 SNV log−likelihood: −158.09 GoF: 53.8% Mean coverage: 388
7
11
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 1027.67
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



4m4
3m2
5m1
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.06
0.08
0.10
0.12
0.14
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Frequency
Cellular fraction
0
1
2
3
4
5
0.2
0.3
0.4
0.5



Purity: 0.47 Tumor ploidy: 3.95
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.47 Tumor ploidy: 3.95 SNV log−likelihood: −171.26 GoF: 63.6% Mean coverage: 388
11
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 1025.9
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



2m2
3m3
4m1
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.06
0.08
0.10
0.12
0.14
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Frequency
Cellular fraction
0
2
4
6
8
0.2
0.3
0.4
0.5
0.6
0.7



Purity: 0.33 Tumor ploidy: 1.952
0
1
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.33 Tumor ploidy: 1.952 SNV log−likelihood: −210.45 GoF: 54.5% Mean coverage: 388
11
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 1023.05
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
0m0
2m0
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.06
0.08
0.10
0.12
0.14
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1
Copy Number log−ratio



Frequency
0
2
4
6
8
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.34 Tumor ploidy: 4.994
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.34 Tumor ploidy: 4.994 SNV log−likelihood: −194.88 GoF: 87.6% Mean coverage: 388
11
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 997.69
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m1
0.0
0.2
0.4
0.6
0.8
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
0.06
0.08
0.10
0.12
0.14
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Frequency
Cellular fraction
0
1
2
3
4
5
6
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.26 Tumor ploidy: 3.003
0
1
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.26 Tumor ploidy: 3.003 SNV log−likelihood: −237.19 GoF: 86.4% Mean coverage: 388
11
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 996.71
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
3m0
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.06
0.08
0.10
0.12
0.14
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1
Copy Number log−ratio



Frequency
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.28 Tumor ploidy: 5.779
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.28 Tumor ploidy: 5.779 SNV log−likelihood: −200.96 GoF: 90.5% Mean coverage: 388
11
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 926.41
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
6m0
0.0
0.2
0.4
0.6
0.8
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1
0.06
0.08
0.10
0.12
0.14
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Frequency
Cellular fraction
0
1
2
3
4
5
6
7
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.92 Tumor ploidy: 3.949
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.92 Tumor ploidy: 3.949 SNV log−likelihood: −193.55 GoF: 0% Mean coverage: 388
7
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 683.47
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.71 Tumor ploidy: 3.051
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.71 Tumor ploidy: 3.051 SNV log−likelihood: −142.4 GoF: 27.6% Mean coverage: 388
7
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 353.39
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



3m3
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1



Power 0.8 at BQ 34.5
Frequency
Cellular fraction
0
2
4
6
8
10
12
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.86 Tumor ploidy: 3.054
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.86 Tumor ploidy: 3.054 SNV log−likelihood: −141.29 GoF: 51.6% Mean coverage: 388
7
11
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 334.63
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
2m1
3m1
2m0
3m0
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.128
0.130
0.132
0.134
0.136
0.138
0.140
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.5
−0.4
−0.3
−0.2
−0.1
0.0
0.1
Copy Number log−ratio



Frequency
0
1
2
3
4
0.25
0.30
0.35
0.40
0.45
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.06
1
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio


Purity: 0.59 Tumor ploidy: 2.06 SNV log−likelihood: −183.96 GoF: 0% Mean coverage: 388
11
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 256.88
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index


1m1
2m2
2m1
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio


Frequency
Cellular fraction