






Purity: 0.7 Tumor ploidy: 5.005
0
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.7 Tumor ploidy: 5.005 SNV log−likelihood: −267.56 GoF: 4.1% Mean coverage: 230
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1438.95
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m1
3m0
0.1
0.2
0.3
0.4
0.5
0.6
−3.0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
0.1
0.2
0.3
0.4
0.5
0.6
−3.0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
5
10
15
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.39 Tumor ploidy: 3.084
0
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.39 Tumor ploidy: 3.084 SNV log−likelihood: −273.37 GoF: 71.4% Mean coverage: 230
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1387.05
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 1.543
0
1
2
3
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.57 Tumor ploidy: 1.543 SNV log−likelihood: −317.74 GoF: 0% Mean coverage: 230
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0
10
20
30
SNV Index
SCNA−fit log−likelihood: 1451.33
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
0
10
20
30
SNV Index
Maximum Likelihood Copy Number
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
0m0
1m0
−3.0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−3.0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Cellular fraction



Purity: 0.48 Tumor ploidy: 4.084
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.48 Tumor ploidy: 4.084 SNV log−likelihood: −280.96 GoF: 67.5% Mean coverage: 230
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1387.97
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 2.085
0
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.33 Tumor ploidy: 2.085 SNV log−likelihood: −330.47 GoF: 59.4% Mean coverage: 230
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0
10
20
30
SNV Index
SCNA−fit log−likelihood: 1350.77
Copy Number log−ratio
−3
−2
−1
0
1
0 1 3 5
SNV Index
Maximum Likelihood Copy Number
0.0
0.2
0.4
0.6
0.8
1.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
0.1
0.2
0.3
0.4
0.5
0.6
−3.0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
0.05
0.10
0.15
0.20
−3.0
−2.5
−2.0
−1.5
−1.0
−0.5
0.0



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.54 Tumor ploidy: 5.011
0
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.54 Tumor ploidy: 5.011 SNV log−likelihood: −280.18 GoF: 58.9% Mean coverage: 230
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1151.69
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



0m0
2m1
4m1
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 4.008
0
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.69 Tumor ploidy: 4.008 SNV log−likelihood: −278.38 GoF: 9.6% Mean coverage: 230
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1017.57
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index


0m0
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2.545
2
3
4
5
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.95 Tumor ploidy: 2.545 SNV log−likelihood: −313.56 GoF: 0% Mean coverage: 230





SCNA−fit log−likelihood: 557.31









Allelic fraction (germline)
Copy Number log−ratio
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 4.629
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.29 Tumor ploidy: 4.629 SNV log−likelihood: −276.21 GoF: 79.8% Mean coverage: 230
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −155.72
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
1m0
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1


Power 0.8 at BQ 33
Frequency
Cellular fraction