






Purity: 0.49 Tumor ploidy: 4.955
1
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.49 Tumor ploidy: 4.955 SNV log−likelihood: −165.89 GoF: 76.8% Mean coverage: 323
7
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index



SCNA−fit log−likelihood: 1665.6
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
3m0
4m1
5m3
5m0
6m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 2.977
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.67 Tumor ploidy: 2.977 SNV log−likelihood: −186.19 GoF: 38.8% Mean coverage: 323
7
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1656.38
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 5.907
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.52 Tumor ploidy: 5.907 SNV log−likelihood: −149.75 GoF: 78.1% Mean coverage: 323
7
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1587.03
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
7m4
6m3
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.34 Tumor ploidy: 3.96
0
1
2
3
4
5
6
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.34 Tumor ploidy: 3.96 SNV log−likelihood: −175.94 GoF: 84.1% Mean coverage: 323
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1624.55
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m2
3m0
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1
0.05
0.10
0.15
0.20
0.25
−1.5
−1.0
−0.5
0.0



Frequency
Cellular fraction
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0



Purity: 0.79 Tumor ploidy: 3.977
2
3
4
5
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.79 Tumor ploidy: 3.977 SNV log−likelihood: −190.27 GoF: 74% Mean coverage: 323
7
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1628.99
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
4m2
3m1
2m0
3m0
4m0
5r



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.63 Tumor ploidy: 5.907
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.63 Tumor ploidy: 5.907 SNV log−likelihood: −167.69 GoF: 88.5% Mean coverage: 323
7
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1596.58
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
7m4
6m3
5m1
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 1.977
0
1
2
3
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.47 Tumor ploidy: 1.977 SNV log−likelihood: −214.8 GoF: 28.3% Mean coverage: 323
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1650.36
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
1m0
3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.5 Tumor ploidy: 2.977
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.5 Tumor ploidy: 2.977 SNV log−likelihood: −191.38 GoF: 45.8% Mean coverage: 323
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index
SCNA−fit log−likelihood: 1600.77
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



0m0
3m2
4m
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 3.977
1
2
3
4
5
6
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.58 Tumor ploidy: 3.977 SNV log−likelihood: −176.08 GoF: 48.3% Mean coverage: 323
7
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1583.08
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
3m0
4m0
4m2
5m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 4.887
0
1
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.21 Tumor ploidy: 4.887 SNV log−likelihood: −230.93 GoF: 80.8% Mean coverage: 323
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 1615.85
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m0
5m3
7m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.826
0
1
2
3
4
5
6
7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.33 Tumor ploidy: 5.826 SNV log−likelihood: −168.81 GoF: 84.3% Mean coverage: 323
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index
SCNA−fit log−likelihood: 1475.5
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



1m1
7m4
0m0
6m3
1m0
2m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 1.978
0
1
2
3
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.59 Tumor ploidy: 1.978 SNV log−likelihood: −190.88 GoF: 0% Mean coverage: 323
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index
SCNA−fit log−likelihood: 1453.22
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
10
15
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index


0m0
2m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0


Coverage (log2)
Allelic fraction
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
−1.5
−1.0
−0.5
0.0


Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
3
0.1
0.2
0.3
0.4