






Purity: 0.67 Tumor ploidy: 4.611
0
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.67 Tumor ploidy: 4.611 SNV log−likelihood: −194.73 GoF: 76.9% Mean coverage: 362
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 297.8
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m2
6m2
2m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
2m2
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 3.642
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.48 Tumor ploidy: 3.642 SNV log−likelihood: −158.73 GoF: 69.1% Mean coverage: 362
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 207.62
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m2
1m0
5m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 2.32
0
1
2
3
4
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.78 Tumor ploidy: 2.32 SNV log−likelihood: −228.13 GoF: 86.8% Mean coverage: 362
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 240.08
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



1m1
2m1
3m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.48
0.50
0.52
0.54
0.56
0.58
0.60
−2.0
−1.5
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
0.94
0.95
0.96
0.97
0.98
0.99
1.00



Purity: 0.35 Tumor ploidy: 3.921
1
2
3
4
5
6
7
0.00
0.02
0.04
0.06
0.08
0.10
0.12
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.35 Tumor ploidy: 3.921 SNV log−likelihood: −175.62 GoF: 71.7% Mean coverage: 362
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −25.35
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
1m1
1m0
3m0
6m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 2.704
1
2
3
4
5
6
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.43 Tumor ploidy: 2.704 SNV log−likelihood: −190.91 GoF: 34.3% Mean coverage: 362
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: −133.67
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
0m0
4m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 5.657
0
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.68 Tumor ploidy: 5.657 SNV log−likelihood: −168.78 GoF: 88.7% Mean coverage: 362
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index
SCNA−fit log−likelihood: −391.28
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m2
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
3m3
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 1.777
0
1
2
3
4
5
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio


Purity: 0.35 Tumor ploidy: 1.777 SNV log−likelihood: −223.41 GoF: 50.7% Mean coverage: 362
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: −1171.19
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
1m0
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1


Frequency
Cellular fraction