






Purity: 0.38 Tumor ploidy: 2.001
0
1
2
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.38 Tumor ploidy: 2.001 SNV log−likelihood: −113.88 GoF: 59.8% Mean coverage: 247
2
3
4
5
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8663.33
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
2m1
2m0
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.6 Tumor ploidy: 4.001
0
2
3
4
0.0
0.2
0.4
0.6
0.8
Fraction Genome
−3
−2
−1
0
1
2
3
log2 ratio



Purity: 0.6 Tumor ploidy: 4.001 SNV log−likelihood: −89.94 GoF: 76.6% Mean coverage: 247
1
2
3
4
5
7
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −8660.46
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



4m4
4m2
4m1
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−0.4
−0.2
0.0
0.2



Coverage (log2)
Allelic fraction
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
−0.4
−0.2
0.0
0.2



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.72 Tumor ploidy: 3.001
0
2
3
0.8
0.6
0.4
0.2
0.0
Fraction Genome
−3
−2
−1
0
1
2
3
log2 ratio



Purity: 0.72 Tumor ploidy: 3.001 SNV log−likelihood: −95.06 GoF: 80.9% Mean coverage: 247
1
2
3
4
5
7
13
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: −8669.24
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
2
5
10
15
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



3m3
3m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 3.001
0
1
2
3
0.0
0.2
0.4
0.6
0.8
Fraction Genome
−2
−1
0
1
2
3
log2 ratio



Purity: 0.52 Tumor ploidy: 3.001 SNV log−likelihood: −100.28 GoF: 74.1% Mean coverage: 247
2
3
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8664.66
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m3
3m2
3m1
3m0
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.42 Tumor ploidy: 5.002
0
2
4
5
0.8
0.6
0.4
0.2
0.0
Fraction Genome
−2
−1
0
1
2
3
log2 ratio



Purity: 0.42 Tumor ploidy: 5.002 SNV log−likelihood: −101.66 GoF: 84.7% Mean coverage: 247
1
2
3
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: −8663.06
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
4
5
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m5
5m3
5m2
5m0
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
5m1
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.77 Tumor ploidy: 2.001
0
1
2
0.0
0.2
0.4
0.6
0.8
Fraction Genome
−3
−2
−1
0
1
2
3
log2 ratio



Purity: 0.77 Tumor ploidy: 2.001 SNV log−likelihood: −88.28 GoF: 61.9% Mean coverage: 247
1
2
3
4
5
7
13
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −8660.25
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
1
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
SNV Index



2m2
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 4.002
1
3
4
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0
1
2
3
log2 ratio



Purity: 0.31 Tumor ploidy: 4.002 SNV log−likelihood: −113.12 GoF: 74.4% Mean coverage: 247
2
3
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8664.09
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
3
4
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m4
4m2
4m1
4m0
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
4m1
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
3
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.25 Tumor ploidy: 5.995
1
2
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.25 Tumor ploidy: 5.995 SNV log−likelihood: −115.86 GoF: 84.2% Mean coverage: 247
2
3
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8663.25
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
5
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m5
6m6
6m4
6m3
6m2
6m1
6m0
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
1
2
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.15 Tumor ploidy: 5.869
0
4
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.15 Tumor ploidy: 5.869 SNV log−likelihood: −129 GoF: 79.7% Mean coverage: 247
2
3
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8657.67
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
4
6
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m6
6m6
6m3
5m2
6m2
6m1
6m0
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
5m2
6m2
6m1
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.17 Tumor ploidy: 4.886
0
3
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.17 Tumor ploidy: 4.886 SNV log−likelihood: −129.16 GoF: 80.7% Mean coverage: 247
2
3
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8662.83
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
3
5
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m5
5m4
5m2
5m1
5m0
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
4m1
5m1
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
1
2
3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.17 Tumor ploidy: 3.963
0
2
3
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
0
1
2
3
log2 ratio



Purity: 0.17 Tumor ploidy: 3.963 SNV log−likelihood: −125.87 GoF: 74.3% Mean coverage: 247
2
3
4
5
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: −8670.59
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m4
4m2
4m1
4m0
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
4m2
3m1
4m1
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
1
2
3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.956
0
3
5
0.8
0.6
0.4
0.2
0.0
Fraction Genome
−3
−2
−1
0
1
2
3
log2 ratio



Purity: 0.45 Tumor ploidy: 5.956 SNV log−likelihood: −97.54 GoF: 79.9% Mean coverage: 247
1
2
3
4
5
7
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −8732.6
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
5
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



6m6
6m3
6m2
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−0.4
−0.2
0.0
0.2



Coverage (log2)
Allelic fraction
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8



6m2
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
−0.4
−0.2
0.0
0.2



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
0.2
0.4
0.6
0.8
1.0



Purity: 0.55 Tumor ploidy: 5.955
0
3
5
6
0.0
0.2
0.4
0.6
0.8
Fraction Genome
−3
−2
−1
0
1
2
3
log2 ratio



Purity: 0.55 Tumor ploidy: 5.955 SNV log−likelihood: −93.18 GoF: 80.8% Mean coverage: 247
1
2
3
4
5
7
13
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −8746.35
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
5
6
5
10
15
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index


6m6
6m3
6m2
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−0.4
−0.2
0.0
0.2


Coverage (log2)
Allelic fraction
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
0.0
0.2
0.4
0.6
0.8


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
−0.4
−0.2
0.0
0.2


Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
0.0
0.2
0.4
0.6
0.8
1.0