






Purity: 0.73 Tumor ploidy: 2.311
0
1
2
3
4
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.73 Tumor ploidy: 2.311 SNV log−likelihood: −373.12 GoF: 46.5% Mean coverage: 215
3
5
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −1786.22
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
3
7
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
3m2
2m1
3m1
1m0
2m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.7 Tumor ploidy: 5.601
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.7 Tumor ploidy: 5.601 SNV log−likelihood: −378.47 GoF: 80.1% Mean coverage: 215
3 5 11 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −1793.1
Copy Number log−ratio
−3 −2 −1 0 1 2
2 3 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



5m5
5m4
5m3
7m4
4m2
5m2
7m2
5m1
3m0
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 4.724
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.43 Tumor ploidy: 4.724 SNV log−likelihood: −419.5 GoF: 72% Mean coverage: 215
3
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −1747.84
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
3
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
6m4
3m2
0m0
4m2
6m2
7m2
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
0m1
2m1
3m1
4m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.7 Tumor ploidy: 4.625
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.7 Tumor ploidy: 4.625 SNV log−likelihood: −394.64 GoF: 79.2% Mean coverage: 215
3
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −1841.04
Copy Number log−ratio
−3
−2
−1
0
1
2
2
3
5
7
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



4m4
4m3
3m2
4m2
6m3
5m2
6m2
4m1
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 2.636
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.37 Tumor ploidy: 2.636 SNV log−likelihood: −468.09 GoF: 61.9% Mean coverage: 215
3
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −1751.12
Copy Number log−ratio
−3
−2
−1
0
1
2
0
5
10
15
20
25
30
SNV Index
0 1 3 5



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
2m2
4m1
4m2
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.322
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 3.322 SNV log−likelihood: −451.06 GoF: 19.7% Mean coverage: 215
3
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: −1845.42
Copy Number log−ratio
−3
−2
−1
0
1
2
2
3
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
4m2
3m1
4m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 3.636
0
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.49 Tumor ploidy: 3.636 SNV log−likelihood: −395.59 GoF: 65.2% Mean coverage: 215
3
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −1919.8
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m3
2m2
5m3
3m1
5m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m2
2m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 4.885
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.29 Tumor ploidy: 4.885 SNV log−likelihood: −442.18 GoF: 79.6% Mean coverage: 215
3
5
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −1974.16
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
4
7
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
1m1
7m4
0m0
4m2
3m1
1m0
6m1
7m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 4.094
0
1
2
3
4
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.25 Tumor ploidy: 4.094 SNV log−likelihood: −487.51 GoF: 79.7% Mean coverage: 215
3
5
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −1998.21
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m4
3m2
0m0
2m1
3m1
3m0
6m1
7m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
0m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 5.574
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio


Purity: 0.44 Tumor ploidy: 5.574 SNV log−likelihood: −400.83 GoF: 81.1% Mean coverage: 215
3
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −2249.15
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
3m0
4m0
5m0
4m2
5m2
3m3
4m4
5m5
5m3
7m4
5m1
7m2


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
3m1
4m1
5m1
3m3


Power 0.8 at BQ 31
Frequency
Cellular fraction