






Purity: 0.61 Tumor ploidy: 4.011
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.61 Tumor ploidy: 4.011 SNV log−likelihood: −531.3 GoF: 75.4% Mean coverage: 280
1
2
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index
SCNA−fit log−likelihood: 563.5
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
0
10
20
30
40
50
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m2
4m2
2m1
3m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 3.009
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.52 Tumor ploidy: 3.009 SNV log−likelihood: −570.92 GoF: 54% Mean coverage: 280
1
3
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 585.49
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
3m2
2m1
3m1
1m0
2m0
3m0
4m



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m2
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 4.058
1
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.45 Tumor ploidy: 4.058 SNV log−likelihood: −550.77 GoF: 74.4% Mean coverage: 280
1
3
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: 512.49
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
7
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
3m2
5m3
2m1
4m2
5m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.01
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.55 Tumor ploidy: 5.01 SNV log−likelihood: −531.95 GoF: 80.1% Mean coverage: 280
1
2
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 458.61
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
4m3
3m2
5m3
6m3
2m1
5m2
3m1
4m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 2.01
0
1
2
3
4
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.39 Tumor ploidy: 2.01 SNV log−likelihood: −595.73 GoF: 54% Mean coverage: 280
1
3
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 561.98
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
Copy Number log−ratio
0m0
1m1
2m2
3m
2m1
3m
1m0
2m0



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
Contamination
1m1
2m1



Power 0.8 at BQ 32
Frequency
0
2
4
6
8
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.4 Tumor ploidy: 3.058
0
1
2
3
4
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.4 Tumor ploidy: 3.058 SNV log−likelihood: −559.18 GoF: 71% Mean coverage: 280
1
3
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 484.41
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
1m1
3m2
4m2
3m1
1m0
2m0
3m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
0.35
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
3m2
1m1
2m1
3m1
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.72 Tumor ploidy: 3.009
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.72 Tumor ploidy: 3.009 SNV log−likelihood: −603.15 GoF: 64.8% Mean coverage: 280
1
2
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
70
SNV Index



SCNA−fit log−likelihood: 233.51
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
2
3
4
5
6
0
10
20
30
40
50
60
70
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
60
70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
3m2
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 1.962
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.59 Tumor ploidy: 1.962 SNV log−likelihood: −577.58 GoF: 3.8% Mean coverage: 280
1
3
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index
SCNA−fit log−likelihood: 78.45
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
0
10
20
30
40
50
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
2m1
1m0
2m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
2
4
6
8
10
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.21 Tumor ploidy: 2.958
0
1
2
3
4
5
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.21 Tumor ploidy: 2.958 SNV log−likelihood: −928.41 GoF: 74.5% Mean coverage: 280
1
3
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 570.49
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
Copy Number log−ratio
2m2
1m1
3m2
0m0
4m2
1m0
3m1
2m0



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m1



Power 0.8 at BQ 32
Frequency
0
5
10
15
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.66 Tumor ploidy: 5.988
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.66 Tumor ploidy: 5.988 SNV log−likelihood: −539.77 GoF: 90.1% Mean coverage: 280
1
2
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: −551.82
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
10
20
30
40
50
60
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
60
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
2m0
3m0
3m1
3m2
3m3
4m1
4m3
5m0
5m1
5m2
5m3
5m5
6m0
6m3
7m3
7m4


Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8


Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−1.0
−0.5
0.0
3m3
4m3
3m1
4m1
5m2
5m1
6m3
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
10
0.2
0.4
0.6
0.8
1.0