






Purity: 0.49 Tumor ploidy: 3.737
0
1
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.49 Tumor ploidy: 3.737 SNV log−likelihood: −950.3 GoF: 78.3% Mean coverage: 416
1
7
10
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index
SCNA−fit log−likelihood: 316.53
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
3
5
0
20
40
60
80
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
1m1
6m4
3m2
0m0
3m1
1m0
3m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
1m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.81 Tumor ploidy: 4.67
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.81 Tumor ploidy: 4.67 SNV log−likelihood: −923.91 GoF: 84.7% Mean coverage: 416
1
7
10
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index
SCNA−fit log−likelihood: 220.63
Copy Number log−ratio
−3
−2
−1
0
1
2
2
3
4
6
0
20
40
60
80
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



4m4
2m2
4m3
7m4
2m1
4m2
5m2
3m1
4m1
7m1
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
4m3
4m2
2m1
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 2.848
1
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.37 Tumor ploidy: 2.848 SNV log−likelihood: −918.12 GoF: 75% Mean coverage: 416
1
9
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
70
SNV Index
SCNA−fit log−likelihood: 199.7
Copy Number log−ratio
−3
−2
−1
0
1
2
0 1 3 5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
0m0
2m1
5m2
3m1
2m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
0m1
2m1
3m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.86 Tumor ploidy: 2.356
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.86 Tumor ploidy: 2.356 SNV log−likelihood: −1023.25 GoF: 35% Mean coverage: 416
1 4 9 11 12 13 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 322.23
Copy Number log−ratio
−3 −2 −1 0 1 2
0 1 2 3 4 6
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



2m2
1m1
3m2
2m1
5m2
3m1
1m0
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.92 Tumor ploidy: 4.679
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.92 Tumor ploidy: 4.679 SNV log−likelihood: −984.49 GoF: 68.2% Mean coverage: 416
1 4 9 11 12 13 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index
SCNA−fit log−likelihood: 230.88
Copy Number log−ratio
−3 −2 −1 0 1 2
3 4 6
0 10 20 30 40 50 60 70
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
7m4
4m2
3m1
4m1
7m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
4m2
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 1.74
0
1
2
3
4
5
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.36 Tumor ploidy: 1.74 SNV log−likelihood: −1055.85 GoF: 66.9% Mean coverage: 416
1
9
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
70
SNV Index
SCNA−fit log−likelihood: 16.8
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
4
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
4m2
7m3
1m0
4m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 2.735
1
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.52 Tumor ploidy: 2.735 SNV log−likelihood: −913.47 GoF: 74.8% Mean coverage: 416
1
9
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index
SCNA−fit log−likelihood: −284.7
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−2
−1
0
1
0m0
1m1
2m2
3m2
5m3
2m1
7m3
3m1
1m0
2m0
3m0
5m0
7m0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
−2
−1
0
1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
1m1
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
5
10
15
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.25 Tumor ploidy: 2.13
0
1
2
3
4
5
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.25 Tumor ploidy: 2.13 SNV log−likelihood: −1090.51 GoF: 76.7% Mean coverage: 416
1
9
10
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index
SCNA−fit log−likelihood: −94.85
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
5m3
0m0
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
2m2
5m2
0m1
1m1
2m1
3m1
5m1



Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 4.093
1
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.35 Tumor ploidy: 4.093 SNV log−likelihood: −896.07 GoF: 85% Mean coverage: 416
1
9
10
12
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −504.18
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
3m3
4m3
1m1
3m2
0m0
4m2
7m3
3m1
1m0
3m0
4m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
3m2
0m1
1m1
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.742
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 5.742 SNV log−likelihood: −1035.86 GoF: 71.1% Mean coverage: 416
1 4 9 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: −541.8
Copy Number log−ratio
−3 −2 −1 0 1 2
3 5 7
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
3m2
5m3
7m4
6m3
5m2
3m1
5m1
7m1
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m2
3m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.682
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.682 SNV log−likelihood: −1023.16 GoF: 48.9% Mean coverage: 416
1 4 9 11 12 13 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: −580.04
Copy Number log−ratio
2 1 0 −1 −2 −3
2 3 4 6
0 20 40 60 80
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m2
5m3
2m1
4m2
7m3
3m1
5m1
7m1
3m0
4m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
2m1
3m1
5m1


Power 0.8 at BQ 32
Frequency
Cellular fraction