






Purity: 0.52 Tumor ploidy: 3.223
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.52 Tumor ploidy: 3.223 SNV log−likelihood: −513.36 GoF: 0% Mean coverage: 396
2
5
7
12
13
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 248.26
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
7
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
3m1
3m2
4m2
5m0
5m3
5m4
5m5



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
3m1
4m1
5m1
5m2
5m3
5m5



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 4.224
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.66 Tumor ploidy: 4.224 SNV log−likelihood: −531.38 GoF: 0% Mean coverage: 396
2
5
7
12
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: 266.9
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
6
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m4
6m3
4m2
4m1
2m0
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m3
4m2
6m2
4m1
6m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.4 Tumor ploidy: 4.434
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.4 Tumor ploidy: 4.434 SNV log−likelihood: −530.69 GoF: 62.7% Mean coverage: 396
2 5 7 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 191.18
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 4 6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m2
7m5
4m1
7m2
2m0
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
7m2
4m1
6m1
7m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 5.265
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.58 Tumor ploidy: 5.265 SNV log−likelihood: −517.53 GoF: 2.8% Mean coverage: 396
2 5 7 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 140.03
Copy Number log−ratio
1 0 −1 −2 −3
3 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m5
5m3
7m4
5m2
7m2
5m1
7m1
3m0
4m0
5m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1
7m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.103
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.103 SNV log−likelihood: −584.65 GoF: 0% Mean coverage: 396
2 5 7 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 171.08
Copy Number log−ratio
−3 −2 −1 0 1
2 3 4 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.73 Tumor ploidy: 5.279
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.73 Tumor ploidy: 5.279 SNV log−likelihood: −615.45 GoF: 0% Mean coverage: 396
2
5
7
12
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: 231.05
Copy Number log−ratio
−3
−2
−1
0
1
3
4
6
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m7
7m5
5m3
7m4
5m2
7m2
5m1
7m1
3m0
4m0
5m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
7m3
5m1
7m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 2.295
1
2
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.42 Tumor ploidy: 2.295 SNV log−likelihood: −510.52 GoF: 50.1% Mean coverage: 396
2
5
7
12
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −39.73
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
4m3
4m1
2m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m4
4m3
2m2
0m1
1m1
2m1
4m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 2.454
0
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.29 Tumor ploidy: 2.454 SNV log−likelihood: −523.59 GoF: 86.1% Mean coverage: 396
2
5
7
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −138.94
Copy Number log−ratio
1
0
−1
−2
−3
0
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
4m2
5m5
5m3
2m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
4m2
4m1
5m1
5m5



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.71 Tumor ploidy: 2.104
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.71 Tumor ploidy: 2.104 SNV log−likelihood: −756.21 GoF: 0% Mean coverage: 396
2
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 213.38
Copy Number log−ratio
1
0
−1
−2
−3
1
2
3
4
0
5
10
15
20
25
30
35
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
30
35
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
2m1
1m0
2m0
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1


Power 0.8 at BQ 34
Frequency
Cellular fraction