






Purity: 0.84 Tumor ploidy: 3.459
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.84 Tumor ploidy: 3.459 SNV log−likelihood: −497.2 GoF: 40.5% Mean coverage: 369
1 2 5 7 12 13 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 718.59
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



3m3
4m3
3m2
3m1
4m1
1m0
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 3.886
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.44 Tumor ploidy: 3.886 SNV log−likelihood: −554.27 GoF: 46.5% Mean coverage: 369
1 2 5 7 12 13 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 764.32
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m3
4m3
3m2
5m2
4m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 4.82
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.58 Tumor ploidy: 4.82 SNV log−likelihood: −532.33 GoF: 51.2% Mean coverage: 369
1 2 5 7 12 13 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 692.9
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 4 6
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
3m1
4m4
4m3
5m3
4m2
5m2
6m2
4m1
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.451
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 3.451 SNV log−likelihood: −597.17 GoF: 0% Mean coverage: 369
1 2 5 7 12 13 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 788.68
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



1m1
3m2
4m2
3m1
1m0
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 1.887
0
1
2
3
4
5
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.29 Tumor ploidy: 1.887 SNV log−likelihood: −647.88 GoF: 60.1% Mean coverage: 369
1
2
5
12
13
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index
SCNA−fit log−likelihood: 794.66
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
7
0
10
20
30
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
0m0
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
3m1



Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 2.451
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.68 Tumor ploidy: 2.451 SNV log−likelihood: −624.44 GoF: 0% Mean coverage: 369
1
2
5
7
12
13
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 722.67
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
3m0
2m1
3m1
2m2
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
2m2



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 3.01
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.29 Tumor ploidy: 3.01 SNV log−likelihood: −609.21 GoF: 65.8% Mean coverage: 369
1
2
5
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 715.84
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
6
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
2m2
4m3
1m0
4m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
4m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.577
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 4.577 SNV log−likelihood: −568.4 GoF: 0% Mean coverage: 369
1 2 5 7 12 13 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 463.8
Copy Number log−ratio
−3 −2 −1 0 1
1 3 4 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



1m1
4m3
3m2
5m3
4m2
5m2
4m1
6m1
1m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.81 Tumor ploidy: 5.867
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.81 Tumor ploidy: 5.867 SNV log−likelihood: −490.09 GoF: 77.1% Mean coverage: 369
1
2
5
7
12
13
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: −203.07
Copy Number log−ratio
−3
−2
−1
0
1
1
2
3
4
5
7
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
5m4
6m4
5m3
4m2
7m3
6m2
5m1
1m0
2m0
5m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
5m2
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.851
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 5.851 SNV log−likelihood: −537.54 GoF: 60% Mean coverage: 369
1
2
5
7
12
13
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −251.51
Copy Number log−ratio
1
0
−1
−2
−3
2
3
4
5
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
6m4
5m3
4m2
7m3
5m2
6m2
5m1
7m1
2m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
5m2
3m1
4m1
5m1
7m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 5.4
0
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.25 Tumor ploidy: 5.4 SNV log−likelihood: −643.36 GoF: 72.3% Mean coverage: 369
1
2
5
12
13
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −551.38
Copy Number log−ratio
1
0
−1
−2
−3
0
3
5
0
10
20
30
40
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
3m1
4m0
4m2
4m3
4m4
6m1
6m5
7m2


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
3m1
4m1
7m1


Frequency
Cellular fraction