






Purity: 0.55 Tumor ploidy: 4.62
0
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.55 Tumor ploidy: 4.62 SNV log−likelihood: −125.97 GoF: 56.6% Mean coverage: 155
4
5
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −2701.2
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
4m2
4m1
2m0
3m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.08
0.09
0.10
0.11
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.1
0.2
0.3
0.4
0.5
Cellular fraction



Purity: 0.86 Tumor ploidy: 2.27
0
1
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.86 Tumor ploidy: 2.27 SNV log−likelihood: −124.79 GoF: 25% Mean coverage: 155
3
4
5
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −2920.15
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
3
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



1m1
2m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.93 Tumor ploidy: 5.542
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.93 Tumor ploidy: 5.542 SNV log−likelihood: −148.2 GoF: 82.2% Mean coverage: 155
4
5
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: −2868.52
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m3
5m2
5m1
3m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.438
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 4.438 SNV log−likelihood: −140.11 GoF: 49.8% Mean coverage: 155
4
5
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −2938.91
Copy Number log−ratio
−3
−2
−1
0
1
2
2
3
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m2
4m1
2m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
0.25
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Frequency
0
1
0.30
0.35
0.40
0.45
0.50
0.55
0.60
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.28
2
3
4
5
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.28 SNV log−likelihood: −147.52 GoF: 32% Mean coverage: 155
4
5
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: −2946.37
Copy Number log−ratio
−3
−2
−1
0
1
2
2
3
4
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
3m1
2m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Frequency
0
1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Cellular fraction



Purity: 0.5 Tumor ploidy: 3.521
0
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.5 Tumor ploidy: 3.521 SNV log−likelihood: −150.76 GoF: 53.3% Mean coverage: 155
4
5
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −2996.99
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
3m1
1m0
3m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.08
0.10
0.12
0.14
0.16
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.20
0.25
0.30
0.35
0.40
Cellular fraction



Purity: 0.28 Tumor ploidy: 4.387
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.28 Tumor ploidy: 4.387 SNV log−likelihood: −183.28 GoF: 75.7% Mean coverage: 155
4
5
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: −2999.42
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
5
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio
0m0
3m2
4m2
3m1
3m0
4m0



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio
0m1
3m2
3m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
0
1
2
3
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.5 Tumor ploidy: 5.443
0
2
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.5 Tumor ploidy: 5.443 SNV log−likelihood: −138.68 GoF: 60.9% Mean coverage: 155
4
5
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −3125.83
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
4
6
5
10
15
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
5m3
5m2
5m1
2m0
4m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio


Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.05
0.06
0.07
0.08
0.09
0.10
0.11
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio


Power 0.8 at BQ 32
Frequency
0
1
0.2
0.3
0.4
0.5
0.6
Cellular fraction