






Purity: 0.88 Tumor ploidy: 4.782
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.88 Tumor ploidy: 4.782 SNV log−likelihood: −306.32 GoF: 52.1% Mean coverage: 324
2
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −2879.94
Copy Number log−ratio
−2
−1
0
1
2
2
3
4
5
7
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m3
4m2
3m1
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 2.899
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.42 Tumor ploidy: 2.899 SNV log−likelihood: −280.24 GoF: 53% Mean coverage: 324
2
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −3059.82
Copy Number log−ratio
−2
−1
0
1
2
0
1
2
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 3.846
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.56 Tumor ploidy: 3.846 SNV log−likelihood: −294.72 GoF: 59.4% Mean coverage: 324
2
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −3059.55
Copy Number log−ratio
−2
−1
0
1
2
0
1
2
3
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
4m3
3m2
3m1
4m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.8
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.95 Tumor ploidy: 3.8 SNV log−likelihood: −303.35 GoF: 48.1% Mean coverage: 324
2
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −3430.61
Copy Number log−ratio
−2
−1
0
1
2
2
3
4
5
7
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



4m3
3m2
4m2
3m1
4m1
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 4.26
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.37 Tumor ploidy: 4.26 SNV log−likelihood: −298.28 GoF: 81.4% Mean coverage: 324
2
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −3845.01
Copy Number log−ratio
−2
−1
0
1
2
0
1
2
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
3m2
0m0
3m1
2m0
5m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
3m1
5m1



Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 4.999
0
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.57 Tumor ploidy: 4.999 SNV log−likelihood: −295.58 GoF: 63.9% Mean coverage: 324
2
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −3939.48
Copy Number log−ratio
−2
−1
0
1
2
0
2
3
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m4
4m2
6m3
3m1
6m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.966
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.95 Tumor ploidy: 5.966 SNV log−likelihood: −314.78 GoF: 73.8% Mean coverage: 324
2
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −4545.83
Copy Number log−ratio
−2
−1
0
1
2
3
4
5
7
5
10
15
20
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index


7m5
5m3
7m4
5m2
7m2
5m1
5m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio


Frequency
Cellular fraction