






Purity: 0.33 Tumor ploidy: 4.028
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.33 Tumor ploidy: 4.028 SNV log−likelihood: −438.17 GoF: 69.3% Mean coverage: 313
2 3 5 7 12 14 16 17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 987.66
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
4m2
5m2
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
4m2
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 4.014
0
1
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.46 Tumor ploidy: 4.014 SNV log−likelihood: −448.06 GoF: 51.3% Mean coverage: 313
2 3 5 7 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 973.46
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 7
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
3m0
4m0
3m1
3m3
4m2
5m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m1
4m2



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 2.017
0
1
2
3
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.35 Tumor ploidy: 2.017 SNV log−likelihood: −455.26 GoF: 59.4% Mean coverage: 313
2 3 5 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: 957.18
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 6
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
0m0
1m1
2m1
3m1
1m0
2m0



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1



Power 0.8 at BQ 33
Frequency
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.35 Tumor ploidy: 5.992
0
1
2
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.35 Tumor ploidy: 5.992 SNV log−likelihood: −428.8 GoF: 73.3% Mean coverage: 313
2 3 5 7 12 14 16 17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 934.02
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
4m4
0m0
6m3
7m3
1m0
4m1
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m3
0m1
1m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 4.016
1
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.56 Tumor ploidy: 4.016 SNV log−likelihood: −465.6 GoF: 57.4% Mean coverage: 313
2 3 5 7 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 968.35
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25 30 35
SNV Index



3m3
1m1
4m2
5m2
3m1
1m0
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 3.016
0
1
2
3
4
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.44 Tumor ploidy: 3.016 SNV log−likelihood: −483.22 GoF: 47% Mean coverage: 313
2 3 5 7 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 967.81
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
3m2
0m0
4m2
3m1
2m0
3m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
0.0
0.1
0.2
0.3
0.4
Cellular fraction



Purity: 0.63 Tumor ploidy: 5.032
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.63 Tumor ploidy: 5.032 SNV log−likelihood: −454.83 GoF: 64% Mean coverage: 313
2 3 5 7 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 933.95
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
4m3
5m3
6m3
5m2
4m1
2m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.19 Tumor ploidy: 3.026
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.19 Tumor ploidy: 3.026 SNV log−likelihood: −504.52 GoF: 72.6% Mean coverage: 313
2
3
5
12
14
16
17
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 949.48
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
4
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
−1.5
−1.0
−0.5
0.0
1m1
3m2
0m0
1m0
3m1
5m2
3m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
−1.5
−1.0
−0.5
0.0
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
3m2
0m1
1m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
0.2
0.4
0.6
0.8
1.0



Purity: 0.56 Tumor ploidy: 5.966
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
−1
0
1
2
log2 ratio



Purity: 0.56 Tumor ploidy: 5.966 SNV log−likelihood: −434.41 GoF: 72.1% Mean coverage: 313
2 3 5 7 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 710.97
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
5m4
2m1
6m3
7m3
5m1
2m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.84 Tumor ploidy: 3.015
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.84 Tumor ploidy: 3.015 SNV log−likelihood: −486.33 GoF: 66.9% Mean coverage: 313
2 3 5 7 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 742.36
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
1m0
2m0
2m1
3m0
3m1
3m2



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.17 Tumor ploidy: 5.119
0
1
2
3
4
5
6
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.17 Tumor ploidy: 5.119 SNV log−likelihood: −478.33 GoF: 75.3% Mean coverage: 313
2
3
5
12
14
16
17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 629.81
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
3m3
2m2
5m3
0m0
6m3
5m2
7m3
2m0
3m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m3
2m2
0m1
2m1
3m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.015
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.59 Tumor ploidy: 2.015 SNV log−likelihood: −611.7 GoF: 0% Mean coverage: 313
2 3 5 7 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 743.53
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4
0 10 20 30 40
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
1m0
2m1
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Power 0.8 at BQ 33
Frequency
Cellular fraction