






Purity: 0.33 Tumor ploidy: 4.895
1
2
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.33 Tumor ploidy: 4.895 SNV log−likelihood: −622.65 GoF: 87.7% Mean coverage: 508
4 5 7 10
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 1723.41
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 4 6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
6m5
2m2
4m3
5m3
6m3
5m2
4m1
5m1
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m5
5m3
6m3
1m1
2m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 6
0
2
3
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.45 Tumor ploidy: 6 SNV log−likelihood: −609.5 GoF: 90.6% Mean coverage: 508
1 2 4 5 7 10 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 1667.32
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 3 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m3
7m5
6m4
5m3
7m4
6m3
7m3
5m2
6m2
7m2
5m1
6m1
3m0
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m3
2m1
6m2
7m2
3m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 3.903
0
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.21 Tumor ploidy: 3.903 SNV log−likelihood: −683.17 GoF: 78.9% Mean coverage: 508
4
5
10
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 1810.13
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
3m3
4m3
3m2
5m3
0m0
4m2
6m3
5m2
4m1
3m0
4m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
−1.0
−0.5
0.0
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
5m3
6m3
5m2
0m1
3m1
4m1
5m1



Frequency
Cellular fraction
0
2
4
6
8
10
0.2
0.4
0.6
0.8
1.0



Purity: 0.55 Tumor ploidy: 5.963
0
3
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.55 Tumor ploidy: 5.963 SNV log−likelihood: −605.46 GoF: 89.2% Mean coverage: 508
1 2 4 5 7
14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1651.01
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 5 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
5m4
7m5
6m4
5m3
7m4
6m3
7m3
5m2
6m2
7m2
5m1
7m1
3m0
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m3
7m3
6m2
3m1
6m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 4.915
0
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.21 Tumor ploidy: 4.915 SNV log−likelihood: −681.19 GoF: 83.9% Mean coverage: 508
4 5 10
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: 1834.6
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 3 5
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
0m0
3m4
3m3
3m0
5m4
6m4
5m3
7m4
6m3
7m3
6m2
5m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
7m4
6m2
0m1
3m1
4m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 5.906
1
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.23 Tumor ploidy: 5.906 SNV log−likelihood: −648.23 GoF: 86.8% Mean coverage: 508
4 5 10
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: 1742.96
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 4 6
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m5
4m4
7m5
6m4
1m1
7m4
4m2
6m3
7m3
1m0
6m2
7m2
6m1
4m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m4
7m2
1m1
4m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 5.01
0
2
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.48 Tumor ploidy: 5.01 SNV log−likelihood: −615.58 GoF: 85.7% Mean coverage: 508
1 2 4 5 7 10 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 1643.18
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
4m3
6m4
5m3
6m3
5m2
6m2
4m1
5m1
2m0
6m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
2m1
4m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 3.01
0
1
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.32 Tumor ploidy: 3.01 SNV log−likelihood: −617.06 GoF: 80.8% Mean coverage: 508
4
5
10
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: 1622.77
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
3m2
4m4
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
3m1
4m1
3m2
4m2
4m4



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 4.01
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.42 Tumor ploidy: 4.01 SNV log−likelihood: −609.75 GoF: 85.7% Mean coverage: 508
4 5 7 10 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30
SNV Index
SCNA−fit log−likelihood: 1604.67
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
0 10 20 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
2m2
3m3
3m2
3m1
4m3
4m2
4m1
4m0
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−1.0
−0.5
0.0
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1
5m4
5m2
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
10
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.85 Tumor ploidy: 3.003
0
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.85 Tumor ploidy: 3.003 SNV log−likelihood: −541.67 GoF: 70% Mean coverage: 508
1 4 5 7 11 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 1427.02
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
4m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.53 Tumor ploidy: 4.023
0
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.53 Tumor ploidy: 4.023 SNV log−likelihood: −606.03 GoF: 82.1% Mean coverage: 508
1 2 4 5 7
14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1567.4
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 3 4 5 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
2m2
3m3
3m2
5m3
4m2
5m2
3m1
4m1
5m1
2m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
−1.0
−0.5
0.0
0.5
5m2
2m1
3m1
4m1
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.15 Tumor ploidy: 1.984
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.15 Tumor ploidy: 1.984 SNV log−likelihood: −710.84 GoF: 73.7% Mean coverage: 508
4 5 10
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: 1781.1
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 5
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
0m0
2m2
2m1
2m0
4m3
4m2
3m1
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m3
3m2
4m2
0m1
1m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 3.012
0
1
2
3
4
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.65 Tumor ploidy: 3.012 SNV log−likelihood: −638.89 GoF: 70.4% Mean coverage: 508
1 2 4 5 7
14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1440.72
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
1m0
2m0
2m2
3m0
3m1
3m2
3m3
4m0
4m1
4m2



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
2m2
3m1
4m1
4m2
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
3
4
5
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.7 Tumor ploidy: 2.002
0
1
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio


Purity: 0.7 Tumor ploidy: 2.002 SNV log−likelihood: −746.53 GoF: 16.2% Mean coverage: 508
1 4 5 7
14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1437.4
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
3m2
2m1
3m1
1m0
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1


Power 0.8 at BQ 32
Frequency
Cellular fraction