






Purity: 0.19 Tumor ploidy: 1.932
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.19 Tumor ploidy: 1.932 SNV log−likelihood: −476.79 GoF: 84.7% Mean coverage: 481
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −1471.44
Copy Number log−ratio
1
0
−1
−2
−3
−4
0 3 7
0
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
2m2
0m0
4m2
2m0
3m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m2
0m1
2m1
3m1
4m1
6m1



Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 1.957
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.32 Tumor ploidy: 1.957 SNV log−likelihood: −457.27 GoF: 74.7% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −1527.51
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
2
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m3
3m2
0m0
2m1
2m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 3.994
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.65 Tumor ploidy: 3.994 SNV log−likelihood: −445.17 GoF: 8.7% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: −1533.75
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
5
7
0
5
10
15
20
25
30
35
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m4
4m3
6m4
5m3
4m2
4m1
6m1
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 3.001
0
1
2
3
4
5
6
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.64 Tumor ploidy: 3.001 SNV log−likelihood: −449.03 GoF: 8.2% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −1562.52
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
5
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
5m3
0m0
4m2
3m1
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 3.982
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.54 Tumor ploidy: 3.982 SNV log−likelihood: −456.56 GoF: 52.8% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −1524.48
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
1m1
4m3
6m4
5m3
0m0
4m2
4m1
1m0
6m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 2.982
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.37 Tumor ploidy: 2.982 SNV log−likelihood: −464.75 GoF: 76.7% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −1533.41
Copy Number log−ratio
1
0
−1
−2
−3
−4
0 1 3 5
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m2
0m0
4m2
3m1
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 4.958
0
1
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.45 Tumor ploidy: 4.958 SNV log−likelihood: −478.08 GoF: 71.6% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −1520.99
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
3
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m3
7m4
0m0
6m3
5m1
7m1
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
5m3
5m1
6m1
7m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 5.957
0
2
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.64 Tumor ploidy: 5.957 SNV log−likelihood: −437.05 GoF: 21% Mean coverage: 481
1 3 12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −1613.26
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
2
4
6
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m4
7m4
0m0
6m3
6m2
6m1
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 3.971
0
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.37 Tumor ploidy: 3.971 SNV log−likelihood: −487.43 GoF: 79.8% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −1534.16
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
2
4
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
5m3
0m0
4m2
5m1
7m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
4m2
4m1
5m1
7m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.87 Tumor ploidy: 3.002
2
3
4
5
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.87 Tumor ploidy: 3.002 SNV log−likelihood: −465.31 GoF: 63.3% Mean coverage: 481
1 3 12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −1593.58
Copy Number log−ratio
−4
−3
−2
−1
0
1
1
2
3
4
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



3m3
4m3
3m2
4m2
4m1
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.001
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.95 Tumor ploidy: 4.001 SNV log−likelihood: −498.83 GoF: 45.1% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −1562.59
Copy Number log−ratio
1
0
−1
−2
−3
−4
2
3
4
6
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



4m4
6m4
5m3
4m2
6m2
4m1
6m1
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.002
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.59 Tumor ploidy: 2.002 SNV log−likelihood: −508.02 GoF: 6.6% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −1587.97
Copy Number log−ratio
1
0
−1
−2
−3
−4
0
1
2
3
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 5.959
0
1
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.48 Tumor ploidy: 5.959 SNV log−likelihood: −467.4 GoF: 62.8% Mean coverage: 481
1
3
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −1657.19
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
3
5
0
5
10
15
20
25
30
35
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
35
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
6m6
6m4
7m4
0m0
6m3
6m2
6m1
6m0
7m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
7m1


Power 0.8 at BQ 33
Frequency
Cellular fraction