






Purity: 0.56 Tumor ploidy: 4.024
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.56 Tumor ploidy: 4.024 SNV log−likelihood: −722.27 GoF: 62.6% Mean coverage: 481
1
2
5
12
14
17
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 2013.45
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
4m3
2m1
4m2
1m0
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
4m3
1m1
2m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.012
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.33 Tumor ploidy: 5.012 SNV log−likelihood: −766.01 GoF: 83.9% Mean coverage: 481
1
3
7
12
14
17
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
10
20
30
40
50
60
SNV Index
SCNA−fit log−likelihood: 2047.69
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
5m5
2m2
5m4
1m1
5m3
0m0
5m2
1m0
4m1
2m0
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 4.01
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.39 Tumor ploidy: 4.01 SNV log−likelihood: −777.41 GoF: 74.1% Mean coverage: 481
1
3
7
12
14
17
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 2042.73
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
1
2
3
4
6
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m1
3m0
3m1
4m0
4m1
4m2
4m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.53 Tumor ploidy: 3.018
0
1
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.53 Tumor ploidy: 3.018 SNV log−likelihood: −822.99 GoF: 34% Mean coverage: 481
1
2
5
12
14
17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1995.42
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
1m0
2m0
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.6 Tumor ploidy: 2.011
0
1
2
3
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.6 Tumor ploidy: 2.011 SNV log−likelihood: −838.67 GoF: 0% Mean coverage: 481
1 2 5 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 1963.73
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
1m0
2m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m2
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.957
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.55 Tumor ploidy: 5.957 SNV log−likelihood: −722.61 GoF: 75.8% Mean coverage: 481
1 2 5 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1758.75
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60 70
SNV Index



3m3
2m2
6m4
5m3
2m1
6m3
5m2
3m1
6m2
5m1
6m1
2m0
3m0
4m0
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
m1
6m2
3m1
4m1
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.89 Tumor ploidy: 3.011
1
2
3
4
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.89 Tumor ploidy: 3.011 SNV log−likelihood: −835.6 GoF: 41.7% Mean coverage: 481
1
2
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
70
SNV Index



SCNA−fit log−likelihood: 1962.6
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
0
10
20
30
40
50
60
70
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
60
70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
2m1
3m0
3m1
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.77 Tumor ploidy: 3.011
1
2
3
4
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.77 Tumor ploidy: 3.011 SNV log−likelihood: −835.56 GoF: 70.8% Mean coverage: 481
1
2
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1960.35
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
20
40
60
80
SNV Index



1m1
3m2
2m1
3m1
1m0
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
−1.5
−1.0
−0.5
0.0
0.2
0.4
0.6
0.8



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
11
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
1m1
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
−1.5
−1.0
−0.5
0.0
0.2
0.4
0.6
0.8



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.33 Tumor ploidy: 5.96
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.33 Tumor ploidy: 5.96 SNV log−likelihood: −755.22 GoF: 83.4% Mean coverage: 481
1
3
7
12
14
17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 1772.9
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
1m2
2m2
5m4
1m1
6m4
0m0
6m3
1m0
6m2
2m0
5m1
6m1
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
6m2
2m1
3m1
4m1
5m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 4.096
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.23 Tumor ploidy: 4.096 SNV log−likelihood: −869.55 GoF: 79.8% Mean coverage: 481
1 2 3 5 12 14 17
B−Allele Frequency
0.2 0.3 0.4 0.5 0.6 0.7 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 2034.64
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m2
0m1
0m0
4m3
4m2
3m1
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
3m2
4m2
0m1
1m1
2m1
4m1



Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 2.024
0
1
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.37 Tumor ploidy: 2.024 SNV log−likelihood: −882.5 GoF: 59.4% Mean coverage: 481
1 2 3 5 12 14 17
B−Allele Frequency
0.2 0.3 0.4 0.5 0.6 0.7 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 2000.1
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50
SNV Index



0m1
2m2
0m0
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.968
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.45 Tumor ploidy: 5.968 SNV log−likelihood: −740.25 GoF: 84.3% Mean coverage: 481
1
2
5
12
14
17
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1693.61
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
6m4
5m3
2m1
6m3
3m1
6m2
1m0
5m1
2m0
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m3
6m3
1m1
6m2
2m1
3m1
4m1
5m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.24 Tumor ploidy: 3.096
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.24 Tumor ploidy: 3.096 SNV log−likelihood: −902.67 GoF: 76.1% Mean coverage: 481
1 2 3 5 12 14 17
B−Allele Frequency
0.2 0.3 0.4 0.5 0.6 0.7 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 2004.9
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
3m3
3m2
0m0
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
3m2
0m1
1m1
3m1



Frequency
Cellular fraction



Purity: 0.2 Tumor ploidy: 5.999
0
1
2
3
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.2 Tumor ploidy: 5.999 SNV log−likelihood: −868.87 GoF: 82.7% Mean coverage: 481
1 2 3 5 7 12 14 17
B−Allele Frequency
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 1804.98
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 5
0 10 20 30 40 50
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m1
1m2
1m1
0m0
1m0
6m5
6m4
5m3
6m3
5m2
6m2
5m1
6m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m2
2m2
5m2
6m2
0m1
1m1
2m1
3m1
6m1


Power 0.8 at BQ 33
Frequency
Cellular fraction