






Purity: 0.62 Tumor ploidy: 4.845
0
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.62 Tumor ploidy: 4.845 SNV log−likelihood: −430.8 GoF: 62% Mean coverage: 326
2 4 5 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 2126.41
Copy Number log−ratio
1 0 −1 −2 −3
0 2 3 4 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m3
2m2
3m2
5m3
2m1
5m2
3m1
5m1
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
5m2
3m1
5m1



Frequency
Cellular fraction



Purity: 0.77 Tumor ploidy: 3.883
2
3
4
5
6
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.77 Tumor ploidy: 3.883 SNV log−likelihood: −385.1 GoF: 83.3% Mean coverage: 326
1 2 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 2010.35
Copy Number log−ratio
−3 −2 −1 0 1
2 3 4 6
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
2m1
4m2
4m1
2m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 5.747
0
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.69 Tumor ploidy: 5.747 SNV log−likelihood: −397 GoF: 61.5% Mean coverage: 326
2
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 2020.78
Copy Number log−ratio
1
0
−1
−2
−3
6
4
3
0
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
3m3
3m2
6m3
5m2
3m1
6m2
6m1
3m0
4m0
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
6m1



Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 2.897
0
1
2
3
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.49 Tumor ploidy: 2.897 SNV log−likelihood: −465.88 GoF: 52.2% Mean coverage: 326
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: 2155.68
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
1m1
3m2
3m1
1m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 3.82
0
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.42 Tumor ploidy: 3.82 SNV log−likelihood: −452.51 GoF: 70.5% Mean coverage: 326
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
SNV Index



SCNA−fit log−likelihood: 2128.67
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
6
0
10
20
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
1m1
4m2
3m1
1m0
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.945
3
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 4.945 SNV log−likelihood: −449.5 GoF: 42.2% Mean coverage: 326
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1935.95
Copy Number log−ratio
−3
−2
−1
0
1
3
4
5
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
5m4
3m2
5m3
5m2
3m1
5m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m2
3m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.81 Tumor ploidy: 1.951
0
1
2
3
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.81 Tumor ploidy: 1.951 SNV log−likelihood: −493.13 GoF: 55.8% Mean coverage: 326
1
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1926.21
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
2m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.767
0
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
log2 ratio



Purity: 0.45 Tumor ploidy: 5.767 SNV log−likelihood: −459.49 GoF: 81.7% Mean coverage: 326
2
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1270.11
Copy Number log−ratio
1
0
−1
−2
−3
7
5
3
2
0
0
10
20
30
40
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
6m6
3m3
2m2
3m2
2m1
6m3
5m2
3m1
6m2
6m1
3m0
5m0
6m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m3
6m3
2m1
3m1
4m1
6m1
7m1


Frequency
Cellular fraction