






Purity: 0.64 Tumor ploidy: 4.762
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.64 Tumor ploidy: 4.762 SNV log−likelihood: −258.2 GoF: 68.2% Mean coverage: 285
2 3 5 7 10 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: 365.38
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 4 6
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
5m3
4m2
6m3
5m2
3m1
4m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 2.762
0
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.39 Tumor ploidy: 2.762 SNV log−likelihood: −301.32 GoF: 60.3% Mean coverage: 285
2 3 5 7 10 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
5 10 15 20 25
SNV Index
SCNA−fit log−likelihood: 287.69
Copy Number log−ratio
1 0 −1 −2 −3
0 1 2 4 6
5 10 15 20 25
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
5 10 15 20 25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5
0m0
1m0
1m1
2m0
2m1
3m1
3m2
4m2



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.06
0.08
0.10
0.12
0.14
−2.0
−1.5
−1.0
−0.5
0.0
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
1
2
3
0.1
0.2
0.3
0.4
0.5
0.6
0.7



Purity: 0.46 Tumor ploidy: 4.825
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.46 Tumor ploidy: 4.825 SNV log−likelihood: −276.74 GoF: 82.2% Mean coverage: 285
2 3 5 7 10 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
5 10 15 20
SNV Index
SCNA−fit log−likelihood: 253.43
Copy Number log−ratio
−3 −2 −1 0 1
0 2 3 5 7
5 10 15 20
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
5 10 15 20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5
3m3
5m3
0m0
4m2
6m3
5m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−2.0
−1.5
−1.0
−0.5
0.0
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
5m1



Frequency
Cellular fraction
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0



Purity: 0.35 Tumor ploidy: 4.546
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.35 Tumor ploidy: 4.546 SNV log−likelihood: −279.07 GoF: 82.7% Mean coverage: 285
2
3
5
7
10
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 232
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5
2m2
5m3
0m0
4m2
6m3
5m2
2m0
4m0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.06
0.08
0.10
0.12
0.14
−2.0
−1.5
−1.0
−0.5
0.0
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0



Purity: 0.55 Tumor ploidy: 3.765
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.55 Tumor ploidy: 3.765 SNV log−likelihood: −296.19 GoF: 62% Mean coverage: 285
2 3 5 7 10 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
5 10 15 20
SNV Index
SCNA−fit log−likelihood: 221.25
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 5 7
5 10 15 20
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
5 10 15 20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
5m3
4m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.61 Tumor ploidy: 1.894
0
1
2
3
4
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.61 Tumor ploidy: 1.894 SNV log−likelihood: −290.57 GoF: 0.6% Mean coverage: 285
2 3 5 7 10 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25
SNV Index
SCNA−fit log−likelihood: 119.42
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 4
0 5 10 15 20 25
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m0
2m1
3m2
1m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2.9
1
2
3
4
5
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 2.9 SNV log−likelihood: −301.97 GoF: 8.3% Mean coverage: 285
2 3 5 7 10 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25
SNV Index



SCNA−fit log−likelihood: −82.37
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5
0 5 10 15 20 25
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
2m1
4m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 5.399
0
1
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.46 Tumor ploidy: 5.399 SNV log−likelihood: −275.81 GoF: 80.1% Mean coverage: 285
2
3
5
7
10
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −190.07
Copy Number log−ratio
1
0
−1
−2
−3
7
5
3
1
0
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
7m4
6m3
5m2
3m1
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 5.684
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.66 Tumor ploidy: 5.684 SNV log−likelihood: −257.03 GoF: 78.3% Mean coverage: 285
2 3 5 7 10 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: −280.41
Copy Number log−ratio
1 0 −1 −2 −3
1 2 3 4 6
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30 35
SNV Index



4m4
1m1
7m4
6m3
5m2
4m1
5m1
3m0
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.03
0.04
0.05
0.06
0.07
−2.0
−1.5
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
2
0.20
0.25
0.30
0.35
0.40



Purity: 0.95 Tumor ploidy: 4.058
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 4.058 SNV log−likelihood: −278.08 GoF: 39.3% Mean coverage: 285
2 3 5 7 10 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −435.7
Copy Number log−ratio
1 0 −1 −2 −3
2 3 4 5
0 5 10 15 20 25 30
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m2
5m3
4m2
3m1
4m1
3m0
4m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 31
Frequency
Cellular fraction