






Purity: 0.37 Tumor ploidy: 3.356
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.37 Tumor ploidy: 3.356 SNV log−likelihood: −368.95 GoF: 72.5% Mean coverage: 540
4
5
6
12
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 2432.64
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
2m2
4m0
4m1
4m2
4m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
2m2
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 4.356
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.42 Tumor ploidy: 4.356 SNV log−likelihood: −369.84 GoF: 66.6% Mean coverage: 540
4
5
6
12
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2146.04
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m2
2m1
5m3
5m2
3m1
1m0
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m2
1m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 5.277
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.58 Tumor ploidy: 5.277 SNV log−likelihood: −381.76 GoF: 50.2% Mean coverage: 540
1
4
5
6
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2169.32
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
4m3
6m4
4m2
6m3
3m1
6m2
4m1
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m3
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.7 Tumor ploidy: 2.68
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.7 Tumor ploidy: 2.68 SNV log−likelihood: −512.29 GoF: 0% Mean coverage: 540
1
4
5
6
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2375.11
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
3m2
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
1m1
2m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 1.681
0
1
2
3
4
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.52 Tumor ploidy: 1.681 SNV log−likelihood: −502.31 GoF: 0% Mean coverage: 540
4
5
6
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2288.86
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.84 Tumor ploidy: 3.68
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.84 Tumor ploidy: 3.68 SNV log−likelihood: −381.83 GoF: 64.6% Mean coverage: 540
1
4
5
6
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: 2048.69
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
4m2
3m1
4m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 2.68
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.88 Tumor ploidy: 2.68 SNV log−likelihood: −362.73 GoF: 35.1% Mean coverage: 540
1
4
5
6
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 1844.06
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
30
SNV Index



2m2
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.2
0.3
0.4
0.5
0.6
0.7
−1.5
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
2
3
0.2
0.4
0.6
0.8
1.0



Purity: 0.31 Tumor ploidy: 4.146
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 4.146 SNV log−likelihood: −372.06 GoF: 86.6% Mean coverage: 540
4
5
6
12
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1839.21
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
1m2
2m2
5m4
3m2
5m3
0m0
3m1
1m0
2m0
5m1
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
3m1
5m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.6 Tumor ploidy: 3.754
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.6 Tumor ploidy: 3.754 SNV log−likelihood: −421.9 GoF: 11.1% Mean coverage: 540
1
4
5
6
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1604.37
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m1
4m1
2m2
3m2
4m2
3m3
4m3
3m0
4m0
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5


Coverage (log2)
Allelic fraction
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m2
4m2
3m1
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−1.5
−1.0
−0.5
0.0
0.5


Power 0.8 at BQ 34
Frequency
Cellular fraction
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0