






Purity: 0.72 Tumor ploidy: 4.122
0
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.72 Tumor ploidy: 4.122 SNV log−likelihood: −463.72 GoF: 0% Mean coverage: 363
1
3
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index
SCNA−fit log−likelihood: −184.22
Copy Number log−ratio
1
0
−1
−2
−3
−4
7
5
3
2
0
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
2m1
2m2
3m0
4m0
4m1
4m2
4m3
4m4
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
2m2
4m1
4m2



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.7 Tumor ploidy: 5.054
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.7 Tumor ploidy: 5.054 SNV log−likelihood: −478.52 GoF: 0% Mean coverage: 363
1
3
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: −170.59
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
5
7
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
5m4
3m2
5m3
5m2
5m1
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
5m4
5m2
3m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 3.156
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.58 Tumor ploidy: 3.156 SNV log−likelihood: −505.9 GoF: 44.2% Mean coverage: 363
1 3 5 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −128.12
Copy Number log−ratio
1 0 −1 −2 −3 −4
0 1 2 3 5 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
2m2
3m1
3m2
3m3
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 4.216
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.44 Tumor ploidy: 4.216 SNV log−likelihood: −531.88 GoF: 76.5% Mean coverage: 363
1 3 5 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −87.27
Copy Number log−ratio
1 0 −1 −2 −3 −4
0 1 3 5
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
3m0
4m0
4m1
4m2
4m3
4m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
3m1
4m1
4m2
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 3.765
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.42 Tumor ploidy: 3.765 SNV log−likelihood: −541.68 GoF: 75.5% Mean coverage: 363
1 3 5 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −329.57
Copy Number log−ratio
1 0 −1 −2 −3 −4
0 1 3 5
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
1m1
3m2
0m0
2m1
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m4
4m3
4m2
2m1
3m1
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 2.179
0
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.51 Tumor ploidy: 2.179 SNV log−likelihood: −597.66 GoF: 39.3% Mean coverage: 363
1
3
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −856.11
Copy Number log−ratio
1
0
−1
−2
−3
−4
0
1
2
4
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 2.142
0
1
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio


Purity: 0.79 Tumor ploidy: 2.142 SNV log−likelihood: −532.23 GoF: 79.4% Mean coverage: 363
1
3
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index
SCNA−fit log−likelihood: −1227.32
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
3
4
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
2m2
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
2m2


Frequency
Cellular fraction