






Purity: 0.73 Tumor ploidy: 4.079
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.73 Tumor ploidy: 4.079 SNV log−likelihood: −639.54 GoF: 0% Mean coverage: 409
1 2 4 5 7 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1293.43
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 1 2 3 5 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
2m2
4m0
4m1
4m2
4m3
4m4
5m2
6m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
4m1
4m2
4m3



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 5.064
0
1
2
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.49 Tumor ploidy: 5.064 SNV log−likelihood: −578.62 GoF: 59% Mean coverage: 409
1 2 4 5 7 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 1047.05
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 1 2 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



2m3
5m5
2m2
7m5
5m3
0m0
6m3
5m2
6m2
6m1
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
2m1
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 4.119
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.45 Tumor ploidy: 4.119 SNV log−likelihood: −594.54 GoF: 58.9% Mean coverage: 409
1 2 4 5 7 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 978.1
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 1 2 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
4m4
4m3
7m5
5m3
4m2
5m2
4m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
5m2
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.38 Tumor ploidy: 3.137
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.38 Tumor ploidy: 3.137 SNV log−likelihood: −629.75 GoF: 68.8% Mean coverage: 409
1 2 4 5 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1062.12
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 1 3 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
3m3
3m2
6m4
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.081
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.95 Tumor ploidy: 5.081 SNV log−likelihood: −666.41 GoF: 11.9% Mean coverage: 409
1 2 4 5 7 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 1079.02
Copy Number log−ratio
−4 −3 −2 −1 0 1
2 3 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



3m3
5m5
5m4
7m5
3m2
5m3
6m3
5m2
5m1
6m1
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 5.061
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.65 Tumor ploidy: 5.061 SNV log−likelihood: −590.11 GoF: 0% Mean coverage: 409
1
2
4
5
7
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 864.11
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
5
7
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
5m5
7m5
5m3
6m3
5m2
6m2
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
6m4
2m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.87 Tumor ploidy: 2.042
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.87 Tumor ploidy: 2.042 SNV log−likelihood: −611.96 GoF: 44.8% Mean coverage: 409
1 2 4 5 7 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 879.01
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 1 2 3 4
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2
3m1
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.099
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.099 SNV log−likelihood: −729.59 GoF: 27.4% Mean coverage: 409
1 2 4 5 7 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 491.48
Copy Number log−ratio
−4 −3 −2 −1 0 1
2 3 4 6
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



2m2
3m3
3m2
5m
4m2
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 2.113
0
1
2
3
4
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.43 Tumor ploidy: 2.113 SNV log−likelihood: −637.95 GoF: 52.2% Mean coverage: 409
1 2 4 5 11 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 48.39
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 1 3 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
2m2
4m3
3m2
0m0
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
0m1
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.61 Tumor ploidy: 2.1
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.61 Tumor ploidy: 2.1 SNV log−likelihood: −636.66 GoF: 0% Mean coverage: 409
1 2 4 5 7 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 13.63
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 1 2 3 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
3m2
4m3
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 4.158
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.29 Tumor ploidy: 4.158 SNV log−likelihood: −668.15 GoF: 68.7% Mean coverage: 409
1 2 4 5 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 103.81
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 2 4 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m2
0m1
0m0
4m4
4m3
5m3
4m2
6m3
5m2
4m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
5m2
4m1
5m1



Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 6
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio


Purity: 0.46 Tumor ploidy: 6 SNV log−likelihood: −613.44 GoF: 59.3% Mean coverage: 409
1 2 4 5 7 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −276.07
Copy Number log−ratio
−4 −3 −2 −1 0 1
0 1 2 4 6
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
5m5
6m6
6m4
7m4
6m3
7m3
6m2
7m1
6m0
7m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
6m1
7m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Power 0.8 at BQ 32
Frequency
Cellular fraction