






Purity: 0.56 Tumor ploidy: 5.984
3
4
5
6
7
Fraction Genome
0.00
0.05
0.10
0.15
0.20
0.25
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.56 Tumor ploidy: 5.984 SNV log−likelihood: −741.8 GoF: 81.3% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1708.6
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m4
2m1
6m3
7m3
6m2
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m3
2m1
6m1



Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 3.995
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.64 Tumor ploidy: 3.995 SNV log−likelihood: −750.36 GoF: 62.2% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1647.04
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
4m4
4m2
5m2
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
4m2
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 5.98
2
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.46 Tumor ploidy: 5.98 SNV log−likelihood: −796.8 GoF: 80.6% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60
SNV Index



SCNA−fit log−likelihood: 1726.99
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 4 6
0 20 40 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
2m1
6m3
7m3
6m2
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
6m1



Frequency
Cellular fraction



Purity: 0.73 Tumor ploidy: 2.996
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.73 Tumor ploidy: 2.996 SNV log−likelihood: −811.2 GoF: 60.6% Mean coverage: 401
1
2
4
5
9
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1658.41
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
4m2
3m1
1m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m2
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 2.996
1
2
3
4
Fraction Genome
0.00
0.05
0.10
0.15
0.20
0.25
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.56 Tumor ploidy: 2.996 SNV log−likelihood: −829.8 GoF: 56.3% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1666.68
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m3
3m2
4m2
3m1
4m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 5.038
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.39 Tumor ploidy: 5.038 SNV log−likelihood: −859.39 GoF: 85.2% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1743.14
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
1m1
5m3
7m3
5m2
6m2
1m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m3
1m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.38 Tumor ploidy: 4.008
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.38 Tumor ploidy: 4.008 SNV log−likelihood: −891.27 GoF: 79.1% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1702.42
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m4
4m2
6m3
5m2
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m1
4m1
4m3



Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 1.996
0
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.49 Tumor ploidy: 1.996 SNV log−likelihood: −913.33 GoF: 44.2% Mean coverage: 401
1
2
5
9
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1676.59
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
3m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m2
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.74 Tumor ploidy: 2
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.74 Tumor ploidy: 2 SNV log−likelihood: −867.54 GoF: 21.6% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1565.72
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
2m2
2m1
2m0
3m



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 32
Frequency
0
2
4
6
8
10
12
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.24 Tumor ploidy: 5.99
0
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.24 Tumor ploidy: 5.99 SNV log−likelihood: −949.8 GoF: 87.6% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1758.14
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 3 5 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
6m6
6m3
6m2
7m2
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
5m2
6m2
5m1
6m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2
1
2
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.95 Tumor ploidy: 2 SNV log−likelihood: −962.4 GoF: 5.6% Mean coverage: 401
1 2 4 5 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1602.58
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 3.038
0
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.32 Tumor ploidy: 3.038 SNV log−likelihood: −982.92 GoF: 80.4% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1680.54
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 4
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
3m2
3m1
4m1
5m2
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
3m1
3m3



Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 2.04
0
1
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.22 Tumor ploidy: 2.04 SNV log−likelihood: −1002.71 GoF: 84.7% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 1651.63
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
4m2
3m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
2m2



Frequency
Cellular fraction



Purity: 0.94 Tumor ploidy: 2.997
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio


Purity: 0.94 Tumor ploidy: 2.997 SNV log−likelihood: −1049.33 GoF: 43.6% Mean coverage: 401
1 2 4 5 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 1567.66
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
4m2
3m1
3m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1


Frequency
Cellular fraction