






Purity: 0.51  Tumor ploidy: 4.022
0
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.51 Tumor ploidy: 4.022 SNV log−likelihood: −634.39 GoF: 44.8% Mean coverage: 469
1 2 5 6 7 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −1254.07
Copy Number log−ratio
1 0 −1 −2 −3
0 2 3 5 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
4m2
6m3
3m3
2m2
3m2
3m1
7m2
2m0
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
5m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.91  Tumor ploidy: 4.881
1
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.91 Tumor ploidy: 4.881 SNV log−likelihood: −667.31 GoF: 63% Mean coverage: 469
2
6
11
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
60
SNV Index
SCNA−fit log−likelihood: −1451.65
Copy Number log−ratio
−3
−2
−1
0
1
1
3
4
5
7
0
10
20
30
40
50
60
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
3m2
5m3
4m2
7m3
5m2
3m1
4m1
6m1
1m0
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
6m1



Frequency
Cellular fraction



Purity: 0.86  Tumor ploidy: 2.498
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.86 Tumor ploidy: 2.498 SNV log−likelihood: −648.67 GoF: 57.5% Mean coverage: 469
1 5 7 11 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: −1556.7
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
4m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Frequency
Cellular fraction



Purity: 0.33  Tumor ploidy: 2.027
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.33 Tumor ploidy: 2.027 SNV log−likelihood: −781.19 GoF: 61.8% Mean coverage: 469
5
6
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −1245.28
Copy Number log−ratio
−3
−2
−1
0
1
0
1
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
1m1
0m0
2m1
4m2
1m0
4m1
5m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
3m1
4m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.31  Tumor ploidy: 3.447
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.31 Tumor ploidy: 3.447 SNV log−likelihood: −715 GoF: 75% Mean coverage: 469
2 5 6 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: −1404.49
Copy Number log−ratio
−3 −2 −1 0 1
0 1 3 5
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
3m0
3m1
3m2
3m3
5m0
6m1
6m3
7m2



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
3m1
5m1
6m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.69  Tumor ploidy: 3.723
0
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.69 Tumor ploidy: 3.723 SNV log−likelihood: −678.71 GoF: 0% Mean coverage: 469
1 5 6 7 12 14 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −1508.1
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m2
2m1
4m2
5m2
3m1
6m2
5m1
2m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.23  Tumor ploidy: 2.808
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.23 Tumor ploidy: 2.808 SNV log−likelihood: −832.2 GoF: 74.9% Mean coverage: 469
2 5 6 12 14 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −1410.38
Copy Number log−ratio
−3 −2 −1 0 1
0 2 4 7
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
1m1
0m0
2m1
6m3
3m1
1m0
6m2
2m0
7m2
−2.0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
2m2
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
5m2
6m2
0m1
1m1
2m1
4m1
5m1
6m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.55  Tumor ploidy: 1.514
0
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.55 Tumor ploidy: 1.514 SNV log−likelihood: −857.33 GoF: 0% Mean coverage: 469
2
5
6
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −1490.63
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



0m1
1m1
0m0
2m1
3m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.74  Tumor ploidy: 4.102
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.74 Tumor ploidy: 4.102 SNV log−likelihood: −633.14 GoF: 27.8% Mean coverage: 469
1
5
7
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
60
SNV Index
SCNA−fit log−likelihood: −2193.51
Copy Number log−ratio
−3
−2
−1
0
1
1
2
3
4
6
0
10
20
30
40
50
60
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m3
4m3
3m2
4m2
6m3
7m3
3m1
4m1
1m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
6m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.94 Tumor ploidy: 3.919
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio


Purity: 0.94 Tumor ploidy: 3.919 SNV log−likelihood: −710.22 GoF: 57.6% Mean coverage: 469
2 5 6 7 11 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −2131.06
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m1
3m3
4m3
3m2
4m2
5m2
6m2
3m1
4m1
5m1
1m0
3m0
4m0
5m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
5m1


Power 0.8 at BQ 31
Frequency
Cellular fraction