






Purity: 0.57 Tumor ploidy: 3.555
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.57 Tumor ploidy: 3.555 SNV log−likelihood: −639.89 GoF: 57.6% Mean coverage: 373
1 3 7 10 12 13 14 16 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 765.72
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m2
3m0
3m1
3m2
4m1
5m2
5m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.84 Tumor ploidy: 2.283
0
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.84 Tumor ploidy: 2.283 SNV log−likelihood: −589.34 GoF: 29.5% Mean coverage: 373
1 3 6 7 10 11 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 482.72
Copy Number log−ratio
1 0 −1 −2 −3 −4
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
3m0
1m1
2m1
3m1
2m2
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.82 Tumor ploidy: 4.466
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.82 Tumor ploidy: 4.466 SNV log−likelihood: −622.6 GoF: 76% Mean coverage: 373
1 4 7 10 11 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 356.3
Copy Number log−ratio
−4 −3 −2 −1 0 1
2 3 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m1
4m2
5m2
6m2
4m1
2m0
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m2
2m1
3m1
4m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 2.55
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.65 Tumor ploidy: 2.55 SNV log−likelihood: −656.37 GoF: 13.9% Mean coverage: 373
1 3 7 10 12 14 16 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −291.18
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
4m3
2m1
3m1
4m1
1m0
2m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.9 Tumor ploidy: 5.583
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.9 Tumor ploidy: 5.583 SNV log−likelihood: −685.96 GoF: 73.4% Mean coverage: 373
1 3 4 6 7 10 11 12 13 14 16 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −1329.15
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
7m5
3m2
5m3
4m2
7m3
5m2
3m1
6m2
4m1
5m1
3m0
4m0
5m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m2
3m1
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 5.521
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.59 Tumor ploidy: 5.521 SNV log−likelihood: −638.35 GoF: 67.2% Mean coverage: 373
1 4 6 7 10 11 12 13 14 16 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −1427.7
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m0
4m0
5m0
7m0
2m2
3m3
4m2
5m2
6m2
7m3
4m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
4m3
5m1
5m2
5m3



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 5.492
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio


Purity: 0.47 Tumor ploidy: 5.492 SNV log−likelihood: −650.32 GoF: 83.3% Mean coverage: 373
1 4 7 10 12 13 14 16 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −1719.93
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m3
5m3
4m2
5m2
4m1
7m2
2m0
6m1
3m0
4m0
5m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
4m3
5m2
2m1
3m1
4m1
5m1
7m1


Frequency
Cellular fraction