






Purity: 0.26 Tumor ploidy: 5.848
0
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.26 Tumor ploidy: 5.848 SNV log−likelihood: −414.63 GoF: 78.8% Mean coverage: 242
2 3 5 10 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 149.86
Copy Number log−ratio
−3 −2 −1 0 1
0 2 4 7
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
6m5
5m3
0m0
2m1
6m3
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 5.592
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.59 Tumor ploidy: 5.592 SNV log−likelihood: −338.08 GoF: 48.5% Mean coverage: 242
2 3 5 10 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −23.12
Copy Number log−ratio
1 0 −1 −2 −3
1 2 3 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
5m4
3m2
6m4
5m3
6m3
5m2
3m1
4m1
5m1
2m0
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 4.798
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.79 Tumor ploidy: 4.798 SNV log−likelihood: −366.04 GoF: 51.7% Mean coverage: 242
1 2 3 5 10 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −270.05
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
4m3
3m2
5m3
5m2
3m1
4m1
1m0
2m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1



Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 2.829
0
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.44 Tumor ploidy: 2.829 SNV log−likelihood: −405.02 GoF: 47.6% Mean coverage: 242
2 3 5 10 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: −317.14
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 4 6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
3m2
0m0
3m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 5.653
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.79 Tumor ploidy: 5.653 SNV log−likelihood: −364.21 GoF: 63.3% Mean coverage: 242
1 2 3 5 10 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −372.26
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
5m4
6m4
5m3
2m1
4m2
6m3
5m2
3m1
5m1
2m0
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.76 Tumor ploidy: 3.87
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.76 Tumor ploidy: 3.87 SNV log−likelihood: −337.18 GoF: 54.5% Mean coverage: 242
1 2 3 5 10 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −477.46
Copy Number log−ratio
−3 −2 −1 0 1
1 2 3 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



3m3
1m1
4m3
2m1
4m2
1m0
2m0
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 1.945
0
1
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.69 Tumor ploidy: 1.945 SNV log−likelihood: −432.14 GoF: 0% Mean coverage: 242
2 3 5 10 12 13 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30
SNV Index



SCNA−fit log−likelihood: −677.43
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 4
0 10 20 30
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
0m0
2m1
1m0
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
1m1


Power 0.8 at BQ 32
Frequency
Cellular fraction