






Purity: 0.62 Tumor ploidy: 4.056
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.62 Tumor ploidy: 4.056 SNV log−likelihood: −504.14 GoF: 18.9% Mean coverage: 373
1 2 5 7 10 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 735.89
Copy Number log−ratio
−3 −2 −1 0 1
0 2 3 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
2m1
2m2
3m0
4m0
4m1
4m2
4m4
5m3
6m0
6m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 3.056
0
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.48 Tumor ploidy: 3.056 SNV log−likelihood: −596.6 GoF: 43.4% Mean coverage: 373
1 2 5 7 10 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 567.32
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



0m1
3m3
1m1
4m3
3m2
0m0
3m1
1m0
5m1
2m0
3m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 4.908
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.47 Tumor ploidy: 4.908 SNV log−likelihood: −534.29 GoF: 67.6% Mean coverage: 373
1 2 5 7 10 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 411.8
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 5 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
4m4
2m2
1m1
6m4
5m3
0m0
2m1
4m2
5m2
1m0
4m1
7m2
2m0
3m0
4m0
5m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 4.188
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.45 Tumor ploidy: 4.188 SNV log−likelihood: −539.78 GoF: 68.6% Mean coverage: 373
1 2 5 7 10 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 413
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 5 7
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
1m1
2m1
2m2
4m0
4m1
4m2
4m4
6m0
6m1
6m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 2.032
0
1
2
3
4
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.78 Tumor ploidy: 2.032 SNV log−likelihood: −623.54 GoF: 58.5% Mean coverage: 373
1 2 5 7 10 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 496.03
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
3m2
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 3.203
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.36 Tumor ploidy: 3.203 SNV log−likelihood: −637.77 GoF: 66.5% Mean coverage: 373
1
2
5
7
10
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 422.05
Copy Number log−ratio
−3
−2
−1
0
1
0
10
20
30
40
SNV Index
0
1
3
5
7



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
1m0
3m3
3m2
3m1
3m0
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m2
3m1
5m1
5m5



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.28 Tumor ploidy: 4.064
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.28 Tumor ploidy: 4.064 SNV log−likelihood: −680.31 GoF: 74% Mean coverage: 373
1
2
5
7
10
14
16
17
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 480.09
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m2
0m1
3m3
4m3
6m4
3m2
0m0
4m2
3m1
1m0
4m1
3m0
4m0
7m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m1
4m1
6m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.032
2
3
4
5
Fraction Genome
0.00
0.05
0.10
0.15
0.20
0.25
0.30
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 3.032 SNV log−likelihood: −747.86 GoF: 41.7% Mean coverage: 373
1
2
5
7
10
14
16
17
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 273.37
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
4m2
3m1
4m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 3.216
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.75 Tumor ploidy: 3.216 SNV log−likelihood: −575.76 GoF: 65% Mean coverage: 373
1 2 5 7 10 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: −640.77
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 4 6
0 10 20 30 40 50 60
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
3m3
3m2
2m1
4m2
3m1
5m1
1m0
2m0
3m0
5m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1


Power 0.8 at BQ 32
Frequency
Cellular fraction