






Purity: 0.85 Tumor ploidy: 2.358
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.85 Tumor ploidy: 2.358 SNV log−likelihood: −154.65 GoF: 87.1% Mean coverage: 256
1 3 4 5 6 7 11 16 17 19 20
B−Allele Frequency
0.1 0.2 0.3 0.4 0.5 0.6
0 5 10 15 20 25 30
SNV Index
SCNA−fit log−likelihood: −9374.52
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0 1.5 2.0
2 3 4
0 5 10 15 20 25 30
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30
SNV Index



3m2
2m1
2m0
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
5
6
7
8
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.17
0.18
0.19
0.20
0.21
0.22
−0.5
0.0
0.5
1.0



Frequency
Cellular fraction
0
1
0.40
0.45
0.50
0.55



Purity: 0.53 Tumor ploidy: 3.71
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.53 Tumor ploidy: 3.71 SNV log−likelihood: −159.81 GoF: 49.2% Mean coverage: 256
2
4
7
17
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
SNV Index
SCNA−fit log−likelihood: −9374.62
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
1
2
3
4
5
7
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
SNV Index



6m4
3m2
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
5
6
7
8
0.1
0.2
0.3
0.4
0.5
0.6



7m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.06
0.08
0.10
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
5
10
15
0.1
0.2
0.3
0.4
0.5
0.6



Purity: 0.42 Tumor ploidy: 2.714
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.42 Tumor ploidy: 2.714 SNV log−likelihood: −151.36 GoF: 46.9% Mean coverage: 256
4
7
17
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: −9377.96
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
0
1
2
3
4
6
1
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
0.2
0.3
0.4
0.5
0.6
2m1
2m0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
2m1
3m1
4m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
5
10
15
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.33 Tumor ploidy: 3.018
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.33 Tumor ploidy: 3.018 SNV log−likelihood: −141.62 GoF: 71.9% Mean coverage: 256
4
7
17
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
1
2
3
4
5
SNV Index
SCNA−fit log−likelihood: −9421.36
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
0
1
2
3
5
7
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.2
0.3
0.4
0.5
0.6
2m1
2m0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
1m1
2m1
4m1
5m1
7m1
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
2
4
6
8
10
12
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.25 Tumor ploidy: 2.108
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.25 Tumor ploidy: 2.108 SNV log−likelihood: −151.12 GoF: 81% Mean coverage: 256
4
17
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
1.0
1.5
2.0
2.5
3.0
3.5
4.0
SNV Index
SCNA−fit log−likelihood: −9415.78
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
0
1
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



5m4
1m1
1m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
4m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 1.723
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.36 Tumor ploidy: 1.723 SNV log−likelihood: −161.28 GoF: 49.4% Mean coverage: 256
4
7
17
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
1
2
3
4
5
SNV Index
SCNA−fit log−likelihood: −9407.58
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
0
1
2
3
5
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
1
2
3
4
5
SNV Index



4m3
1m1
1m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
5
6
7
8
0.1
0.2
0.3
0.4
0.5
0.6



1m1
2m1
3m1
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
2
4
6
8
10
12
14
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.72 Tumor ploidy: 4.661
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.72 Tumor ploidy: 4.661 SNV log−likelihood: −170.17 GoF: 53.9% Mean coverage: 256
2
3
4
5
6
7
11
17
19
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index



SCNA−fit log−likelihood: −9414.21
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2
3
4
5
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m2
4m1
4m0
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m1
7m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.91 Tumor ploidy: 3.431
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.91 Tumor ploidy: 3.431 SNV log−likelihood: −145.31 GoF: 72.7% Mean coverage: 256
1
2
3
4
5
7
11
16
17
19
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −9489.61
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2
3
4
5
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
SNV Index



3m2
5m3
3m1
3m0
4m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.76 Tumor ploidy: 3.625
0
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.76 Tumor ploidy: 3.625 SNV log−likelihood: −175.45 GoF: 91% Mean coverage: 256
1 2 3 4 5 6 7 11 16 17 19 20
B−Allele Frequency
0.1 0.2 0.3 0.4 0.5 0.6
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: −9420.87
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0 1.5 2.0
2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index



3m2
5m3
3m0
4m0
5m0
6m0
Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Purity: 0.52 Tumor ploidy: 1.426
0
1
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.52 Tumor ploidy: 1.426 SNV log−likelihood: −213.19 GoF: 0% Mean coverage: 256
2
4
7
17
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
1
2
3
4
5
6
7
8
SNV Index



SCNA−fit log−likelihood: −9839.76
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
0
1
2
3
4
1
2
3
4
5
6
7
8
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
1
2
3
4
5
6
7
8
SNV Index



3m2
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
5
6
7
8
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.06
0.08
0.10
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
2
4
6
8
0.05
0.10
0.15
0.20
0.25
0.30
0.35



Purity: 0.82 Tumor ploidy: 5.739
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.82 Tumor ploidy: 5.739 SNV log−likelihood: −143.78 GoF: 95.1% Mean coverage: 256
1
2
3
4
5
7
11
16
17
19
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −10060.35
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
3
4
5
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m3
5m1
4m0
5m0
6m0
7m0
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
5
6
7
8
0.1
0.2
0.3
0.4
0.5
0.6



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.06
0.08
0.10
0.12
0.14
0.16
−0.5
0.0
0.5
1.0



Frequency
Cellular fraction
0
1
2
3
4
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.2 Tumor ploidy: 2.469
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio


Purity: 0.2 Tumor ploidy: 2.469 SNV log−likelihood: −150.37 GoF: 84.2% Mean coverage: 256
4
7
17
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
1
2
3
4
5
SNV Index
SCNA−fit log−likelihood: −10042.58
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
0
2
4
6
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
1
2
3
4
5
SNV Index


6m5
1m1
1m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 31
Frequency
Cellular fraction