






Purity: 0.36 Tumor ploidy: 2.884
1
2
3
4
5
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.36 Tumor ploidy: 2.884 SNV log−likelihood: −104.64 GoF: 85.4% Mean coverage: 162
1
3
5
7
10
12
13
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8756.16
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 29.5
Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 1.953
1
2
3
5
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.58 Tumor ploidy: 1.953 SNV log−likelihood: −107.54 GoF: 54.3% Mean coverage: 162
1
3
5
7
10
11
12
13
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8771.27
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 29.5
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 3.899
2
3
4
5
6
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.43 Tumor ploidy: 3.899 SNV log−likelihood: −105.25 GoF: 88.5% Mean coverage: 162
1
3
5
7
10
12
13
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8763.84
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
4m2
4m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 29.5
Frequency
Cellular fraction



Purity: 0.86 Tumor ploidy: 2.953
2
3
4
6
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.86 Tumor ploidy: 2.953 SNV log−likelihood: −112.8 GoF: 76.5% Mean coverage: 162
1 3 5 6 7 10 11 12 13 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
5 10 15 20
SNV Index



SCNA−fit log−likelihood: −8771.62
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 6
5 10 15 20
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
5 10 15 20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
3m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 29.5
Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 5.882
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.72 Tumor ploidy: 5.882 SNV log−likelihood: −108.82 GoF: 91.8% Mean coverage: 162
1
3
5
6
7
10
11
12
13
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8763.01
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
4
5
6
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m4
6m3
6m2
5m1
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 29.5
Frequency
Cellular fraction



Purity: 0.83 Tumor ploidy: 4.926
3
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.83 Tumor ploidy: 4.926 SNV log−likelihood: −107.53 GoF: 92.7% Mean coverage: 162
1
3
5
6
7
10
11
12
13
16
17
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −8781.17
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m3
5m2
5m1
5m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 4.8
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.21 Tumor ploidy: 4.8 SNV log−likelihood: −107.23 GoF: 94.4% Mean coverage: 162
1
3
5
7
10
12
13
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8885.39
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
5m3
5m2
5m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Power 0.8 at BQ 29.5
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 5.854
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.42 Tumor ploidy: 5.854 SNV log−likelihood: −108.54 GoF: 85.9% Mean coverage: 162
1
3
5
7
10
12
13
17
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −8888.12
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m4
6m3
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 29.5
Frequency
Cellular fraction



Purity: 0.34 Tumor ploidy: 1.911
0
1
2
3
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.34 Tumor ploidy: 1.911 SNV log−likelihood: −97.46 GoF: 77.7% Mean coverage: 162
1
3
5
7
10
11
12
13
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
5
10
15
SNV Index



SCNA−fit log−likelihood: −9452.72
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
10
15
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
1m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Power 0.8 at BQ 29.5
Frequency
Cellular fraction