






Purity: 0.39 Tumor ploidy: 5.015
0
3
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.39 Tumor ploidy: 5.015 SNV log−likelihood: −170.09 GoF: 68.2% Mean coverage: 485
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 2231.35
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
3
4
6
2
4
6
8
10
12
14
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
n0
6m2
5m0
6m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
5m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.56 Tumor ploidy: 2.008
0
1
2
3
4
0.0
0.1
0.2
0.3
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.56 Tumor ploidy: 2.008 SNV log−likelihood: −156.4 GoF: 0.1% Mean coverage: 485
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 2146.55
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
10
15
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
3m1
2m0
3m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.77 Tumor ploidy: 3.008
1
2
3
4
5
0.0
0.1
0.2
0.3
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.77 Tumor ploidy: 3.008 SNV log−likelihood: −160.73 GoF: 91.2% Mean coverage: 485
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 2144.87
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



1m1
1m0
2m0
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.10
0.15
0.20
0.25
0.30
0.35
0.40
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
2
3
4
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.43 Tumor ploidy: 4.013
0
2
3
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.43 Tumor ploidy: 4.013 SNV log−likelihood: −165.66 GoF: 60.1% Mean coverage: 485
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 2172.87
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
4m0
5m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0m1
2m1
3m1
4m1
5m1
5m3
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.53 Tumor ploidy: 3.008
2
3
4
5
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.53 Tumor ploidy: 3.008 SNV log−likelihood: −171.98 GoF: 26.9% Mean coverage: 485
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 2160.99
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m0
4m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
2m1
3m1
4m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.33 Tumor ploidy: 4.014
0
2
3
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.33 Tumor ploidy: 4.014 SNV log−likelihood: −164.74 GoF: 71% Mean coverage: 485
12
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2115.93
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
5
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
4m0
5m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
3m1
4m1
5m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.58 Tumor ploidy: 4.009
1
3
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.58 Tumor ploidy: 4.009 SNV log−likelihood: −165.54 GoF: 66.8% Mean coverage: 485
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 2051.26
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
3
4
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
5m2
5m1
3m0
4m0
5m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
3m1
4m1
5m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.54 Tumor ploidy: 5.966
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.54 Tumor ploidy: 5.966 SNV log−likelihood: −159.45 GoF: 75.2% Mean coverage: 485
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 2027.9
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
4
5
7
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
7m3
7m1
5m0
6m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1
7m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.2 Tumor ploidy: 4.022
1
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.2 Tumor ploidy: 4.022 SNV log−likelihood: −182.48 GoF: 83.4% Mean coverage: 485
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 2080.66
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
3
5
1
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
6m2
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m4
4m2
6m2
0m1
1m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 3.064
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.23 Tumor ploidy: 3.064 SNV log−likelihood: −177.09 GoF: 74.3% Mean coverage: 485
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 2064.21
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
5m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
5m2
0m1
1m1
2m1
3m1
5m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
7
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.44 Tumor ploidy: 5.967
1
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.44 Tumor ploidy: 5.967 SNV log−likelihood: −168.64 GoF: 78% Mean coverage: 485
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 2004.86
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
7m1
5m0
6m0
7m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
4m1
5m1
6m1
7m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.36 Tumor ploidy: 2.057
0
1
2
3
4
5
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.36 Tumor ploidy: 2.057 SNV log−likelihood: −161.91 GoF: 59.4% Mean coverage: 485
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1944.65
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
3m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.2 Tumor ploidy: 5.055
0
2
3
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio


Purity: 0.2 Tumor ploidy: 5.055 SNV log−likelihood: −187.38 GoF: 82.2% Mean coverage: 485
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: 1280.45
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
5
1
2
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
1
2
3
4
5
6
7
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
7m2
7m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
7m2
0m1
2m1
3m1
5m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Frequency
0
2
4
6
8
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction