






Purity: 0.95 Tumor ploidy: 4.418
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 4.418 SNV log−likelihood: −134.68 GoF: 31% Mean coverage: 396
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 661.42
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m3
3m2
4m1
3m0
4m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
0.25
0.30
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
2
3
4
5
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.5 Tumor ploidy: 2.418
0
1
2
3
4
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.5 Tumor ploidy: 2.418 SNV log−likelihood: −157.73 GoF: 0% Mean coverage: 396
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 669.92
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
7
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
1m1
2m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
3
4
0.1
0.2
0.3
0.4
Cellular fraction



Purity: 0.32 Tumor ploidy: 3.755
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.32 Tumor ploidy: 3.755 SNV log−likelihood: −146 GoF: 73.1% Mean coverage: 396
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 549.13
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m3
1m1
3m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
0m1
1m1
2m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.48 Tumor ploidy: 4.638
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.48 Tumor ploidy: 4.638 SNV log−likelihood: −138.83 GoF: 24.4% Mean coverage: 396
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 503.88
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m4
3m3
4m1
4m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.68 Tumor ploidy: 3.42
1
2
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.68 Tumor ploidy: 3.42 SNV log−likelihood: −147.08 GoF: 0% Mean coverage: 396
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 452.48
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



3m3
2m2
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 2.703
0
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 2.703 SNV log−likelihood: −147.44 GoF: 73.4% Mean coverage: 396
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 488.02
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m1
2m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.58 Tumor ploidy: 3.418
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.58 Tumor ploidy: 3.418 SNV log−likelihood: −157.16 GoF: 0% Mean coverage: 396
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 441.19
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



3m3
2m2
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.24 Tumor ploidy: 1.846
0
1
2
3
4
5
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.24 Tumor ploidy: 1.846 SNV log−likelihood: −174.68 GoF: 77.8% Mean coverage: 396
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: 286.56
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
SNV Index
Maximum Likelihood Copy Number
0.0
0.2
0.4
0.6
0.8
1.0
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
1m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
1m2
0m1
1m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.417
2
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.417 SNV log−likelihood: −136.89 GoF: 0% Mean coverage: 396
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 166.97
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
3m0



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Frequency
0
1
2
3
4
5
6
7
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.54 Tumor ploidy: 5.568
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.54 Tumor ploidy: 5.568 SNV log−likelihood: −137.41 GoF: 54.9% Mean coverage: 396
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 60.12
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index


5m5
3m3
5m1
3m0
5m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 32
Frequency
Cellular fraction