






Purity: 0.57 Tumor ploidy: 5.351
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.57 Tumor ploidy: 5.351 SNV log−likelihood: −640.86 GoF: 82% Mean coverage: 479
1 3 5 7 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1787.01
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m3
2m1
4m2
5m2
3m1
6m2
4m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
6m2
3m1
4m1
5m1
6m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.2 Tumor ploidy: 4.307
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.2 Tumor ploidy: 4.307 SNV log−likelihood: −822.35 GoF: 79.7% Mean coverage: 479
1 3 5 7 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 2075.43
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
4m2
4m3
1m0
3m1
5m2
5m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
3m2
5m2
0m1
1m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 5.997
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.75 Tumor ploidy: 5.997 SNV log−likelihood: −609.86 GoF: 89.4% Mean coverage: 479
1
3
5
7
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
70
SNV Index



SCNA−fit log−likelihood: 1538.34
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
0
10
20
30
40
50
60
70
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
60
70
SNV Index



5m5
3m2
5m3
4m2
6m3
7m3
5m2
3m1
6m2
7m2
5m1
4m0
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1
6m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 3.444
0
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.25 Tumor ploidy: 3.444 SNV log−likelihood: −827.42 GoF: 78.1% Mean coverage: 479
1 3 5 7 12 13 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1934.19
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 3 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
3m1
3m2
4m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
2m2
3m1
3m2
4m1
4m2



Frequency
Cellular fraction



Purity: 0.24 Tumor ploidy: 5.887
0
1
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.24 Tumor ploidy: 5.887 SNV log−likelihood: −780.28 GoF: 88.5% Mean coverage: 479
1 3 5 7 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1846.26
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 3 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
1m1
0m0
1m0
5m3
4m2
6m3
5m2
6m2
7m2
3m0
4m0
7m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
4m2
5m2
0m1
7m2
1m1
3m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 2.456
0
1
2
3
4
5
6
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.22 Tumor ploidy: 2.456 SNV log−likelihood: −851.53 GoF: 76.6% Mean coverage: 479
1
3
5
7
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: 1945.61
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
1m1
0m0
2m1
1m0
3m1
3m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
−1.5
−1.0
−0.5
0.0
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
3m2
0m1
1m1
2m1
3m1



Frequency
Cellular fraction
0
2
4
6
8
10
0.2
0.4
0.6
0.8
1.0



Purity: 0.84 Tumor ploidy: 3.014
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.84 Tumor ploidy: 3.014 SNV log−likelihood: −709.15 GoF: 64% Mean coverage: 479
1
3
7
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1261.65
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
60
SNV Index



3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−1.5
−1.0
−0.5
0.0



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.59 Tumor ploidy: 2.022
1
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.59 Tumor ploidy: 2.022 SNV log−likelihood: −810.51 GoF: 16.4% Mean coverage: 479
1 3 5 7 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1253.52
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.85 Tumor ploidy: 4.324
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.85 Tumor ploidy: 4.324 SNV log−likelihood: −726.27 GoF: 69.5% Mean coverage: 479
1
3
5
7
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1098.7
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
50
60
SNV Index



4m4
2m1
4m2
5m2
3m1
4m1
3m0
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.014
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.014 SNV log−likelihood: −846.47 GoF: 22.5% Mean coverage: 479
1
3
5
7
13
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 1243.47
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.4 Tumor ploidy: 6
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.4 Tumor ploidy: 6 SNV log−likelihood: −715.11 GoF: 87.7% Mean coverage: 479
1 3 5 7 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 448.89
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 6
0 10 20 30 40 50
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
5m3
6m3
7m3
5m2
6m2
4m1
7m2
2m0
3m0
4m0
5m0
6m0
7m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
6m2
7m2
3m1
4m1
5m1
6m1


Frequency
Cellular fraction