






Purity: 0.41 Tumor ploidy: 3.766
0
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.41 Tumor ploidy: 3.766 SNV log−likelihood: −450.58 GoF: 72.2% Mean coverage: 679
2
5
9
11
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −3492.68
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
5m3
4m2
5m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
3m1
4m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.8 Tumor ploidy: 3.838
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.8 Tumor ploidy: 3.838 SNV log−likelihood: −481.42 GoF: 85% Mean coverage: 679
1
2
5
9
11
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index
SCNA−fit log−likelihood: −3525.81
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
4m2
5m2
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
4m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 4.746
0
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.55 Tumor ploidy: 4.746 SNV log−likelihood: −492.72 GoF: 45.2% Mean coverage: 679
1
2
5
9
11
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −3550.26
Copy Number log−ratio
−3
−2
−1
0
1
0
2
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m4
5m3
6m3
5m2
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
3m1
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.91 Tumor ploidy: 4.839
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.91 Tumor ploidy: 4.839 SNV log−likelihood: −491.07 GoF: 84.8% Mean coverage: 679
1
2
5
9
11
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −3594.53
Copy Number log−ratio
1
0
−1
−2
−3
7
5
4
3
2
1
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
5m3
6m3
5m2
5m1
1m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 2.848
0
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.52 Tumor ploidy: 2.848 SNV log−likelihood: −542.55 GoF: 31.8% Mean coverage: 679
1
2
5
9
11
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −3486.89
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
4m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 4.674
0
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.33 Tumor ploidy: 4.674 SNV log−likelihood: −432.75 GoF: 88% Mean coverage: 679
2
5
9
11
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −3700.36
Copy Number log−ratio
1
0
−1
−2
−3
0 1 3 5 7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m3
6m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
5m2
2m1
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 3.835
0
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.66 Tumor ploidy: 3.835 SNV log−likelihood: −569.76 GoF: 0% Mean coverage: 679
1 2 5 9 11 12 14
B−Allele Frequency
0.2 0.4 0.6 0.8
5 10 15 20
SNV Index
SCNA−fit log−likelihood: −3493.71
Copy Number log−ratio
−3 −2 −1 0 1
0 1 2 3 4 6
5 10 15 20
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
5 10 15 20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
5m3
4m2
5m2
4m1
2m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
3m1
4m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 5.78
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.59 Tumor ploidy: 5.78 SNV log−likelihood: −479.5 GoF: 32.1% Mean coverage: 679
1
2
5
9
11
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −3796.16
Copy Number log−ratio
1
0
−1
−2
−3
6
4
3
2
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
6m4
7m4
6m3
7m3
6m2
6m1
3m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
6m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2.946
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 2.946 SNV log−likelihood: −518.86 GoF: 70.3% Mean coverage: 679
1
2
5
9
11
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index
SCNA−fit log−likelihood: −3990.74
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
5
0
10
20
30
40
50
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
SNV Index



3m3
3m2
4m2
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 1.926
0
1
2
3
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.79 Tumor ploidy: 1.926 SNV log−likelihood: −755.46 GoF: 60.7% Mean coverage: 679
1
2
5
9
11
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: −3679.67
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
2m2
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.61 Tumor ploidy: 1.965
0
1
2
3
4
5
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
log2 ratio



Purity: 0.61 Tumor ploidy: 1.965 SNV log−likelihood: −668.84 GoF: 0% Mean coverage: 679
2
5
11
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −4051.72
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
5
10
15
20
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
3m1
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
1m1
2m1


Power 0.8 at BQ 31
Frequency
Cellular fraction