






Purity: 0.56 Tumor ploidy: 4.01
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.56 Tumor ploidy: 4.01 SNV log−likelihood: −439.12 GoF: 62.8% Mean coverage: 320
1 2 5 9 10 14
B−Allele Frequency
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1222.69
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
2 3 4 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
2m1
4m2
3m1
4m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Power 0.8 at BQ 32.5
Frequency
Cellular fraction



Purity: 0.34 Tumor ploidy: 3.008
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.34 Tumor ploidy: 3.008 SNV log−likelihood: −487.95 GoF: 68% Mean coverage: 320
5
9
10
12
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1299.84
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m1
3m0
3m1
3m2
3m3
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 2.009
0
1
2
3
4
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 2.009 SNV log−likelihood: −482.64 GoF: 70.9% Mean coverage: 320
5
9
10
12
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1269.36
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
0
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
0m0
2m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.032
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.33 Tumor ploidy: 5.032 SNV log−likelihood: −478.19 GoF: 81.7% Mean coverage: 320
1 5 9 10 12 14
B−Allele Frequency
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1213.78
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
5m5
1m1
5m3
0m0
4m2
3m1
5m2
1m0
4m0
5m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m5
0m1
1m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.19 Tumor ploidy: 3.063
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.19 Tumor ploidy: 3.063 SNV log−likelihood: −519.89 GoF: 77.5% Mean coverage: 320
5
9
10
12
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 1240.81
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
4
7
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
0m0
2m1
3m1
3m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
3m1
3m2



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.961
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.55 Tumor ploidy: 5.961 SNV log−likelihood: −455.33 GoF: 79.5% Mean coverage: 320
1 2 5 9 10 14
B−Allele Frequency
0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1069.31
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
3 4 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
6m4
5m3
4m2
6m3
5m2
3m1
6m2
5m1
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.2 Tumor ploidy: 3.98
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.2 Tumor ploidy: 3.98 SNV log−likelihood: −523.97 GoF: 77.7% Mean coverage: 320
5
9
10
12
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1244.2
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
0m0
2m1
4m2
3m1
4m1
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
3m2
4m2
0m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.82 Tumor ploidy: 3.96
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.82 Tumor ploidy: 3.96 SNV log−likelihood: −482.51 GoF: 74% Mean coverage: 320
1 2 5 9 12 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 1018.74
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
2m1
4m2
3m1
4m1
2m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Power 0.8 at BQ 32.5
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.96
1
2
3
4
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.59 Tumor ploidy: 2.96 SNV log−likelihood: −493.23 GoF: 30.6% Mean coverage: 320
1 2 5 9 12 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 1005.39
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
2m0
3m2
3m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1



Power 0.8 at BQ 32.5
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.048
2
3
4
6
0.0
0.1
0.2
0.3
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.048 SNV log−likelihood: −549.22 GoF: 44.1% Mean coverage: 320
5
9
10
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 599.26
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m0
2m1
3m0
3m1
3m2
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 2.048
1
2
3
5
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.64 Tumor ploidy: 2.048 SNV log−likelihood: −564.72 GoF: 4.2% Mean coverage: 320
1 5 9 10 14
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 597.82
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index


2m2
1m1
2m1
1m0
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 32.5
Frequency
Cellular fraction