






Purity: 0.41 Tumor ploidy: 3.764
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.41 Tumor ploidy: 3.764 SNV log−likelihood: −122.76 GoF: 54% Mean coverage: 160
14
B−Allele Frequency
0.2
0.4
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1656.51
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



4m4
5m3
0m0
4m2
5m2
Allelic fraction (germline)
0.2
0.4
0.6
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
0.2
0.4
0.6
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
Allelic fraction (somatic)
0.10
0.12
0.14
0.16
0.18
0.20
0.22
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.84 Tumor ploidy: 3.852
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
Fraction Genome
−4
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.84 Tumor ploidy: 3.852 SNV log−likelihood: −124.3 GoF: 48% Mean coverage: 160
14
B−Allele Frequency
0.2
0.4
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1531.71
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
4m3
5m3
4m2
5m2
3m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
0.2
0.4
0.6
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.54 Tumor ploidy: 2.85
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.54 Tumor ploidy: 2.85 SNV log−likelihood: −121.14 GoF: 32.6% Mean coverage: 160
14
B−Allele Frequency
0.2
0.4
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1432.83
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
3m2
4m2
3m1



Coverage (log2)
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
0.2
0.4
0.6
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
0.25
0.30
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
0
1
2
3
0.50
0.55
0.60
0.65
0.70
Cellular fraction



Purity: 0.66 Tumor ploidy: 2.829
0
1
2
3
4
5
0.6
0.4
0.2
0.0
Fraction Genome
−4
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.66 Tumor ploidy: 2.829 SNV log−likelihood: −119.65 GoF: 0% Mean coverage: 160
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
SNV Index
SCNA−fit log−likelihood: 1333.4
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
4m2
3m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 3.85
0
2
3
4
5
6
7
Fraction Genome
0.0
0.2
0.4
0.6
−4
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.68 Tumor ploidy: 3.85 SNV log−likelihood: −123.28 GoF: 0% Mean coverage: 160
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
SNV Index
SCNA−fit log−likelihood: 1346.66
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m3
4m2
5m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 4.748
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
Fraction Genome
−4
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.72 Tumor ploidy: 4.748 SNV log−likelihood: −122.19 GoF: 0% Mean coverage: 160
14
B−Allele Frequency
0.2
0.4
0.6
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1337.76
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



5m4
5m3
6m3
5m2
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.38 Tumor ploidy: 4.68
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.38 Tumor ploidy: 4.68 SNV log−likelihood: −122.64 GoF: 54.4% Mean coverage: 160
14
B−Allele Frequency
0.2
0.4
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1341.56
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0m0
5m3
7m4
6m3
5m2
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
0.2
0.4
0.6
Allelic fraction



Allelic fraction (somatic)
0.10
0.12
0.14
0.16
0.18
0.20
0.22
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
0.80
0.85
0.90
0.95
1.00
Cellular fraction



Purity: 0.88 Tumor ploidy: 5.736
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.88 Tumor ploidy: 5.736 SNV log−likelihood: −119.97 GoF: 0% Mean coverage: 160
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1226.46
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



7m4
6m3
7m3
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.84 Tumor ploidy: 1.926
0
1
2
3
0.6
0.4
0.2
0.0
Fraction Genome
−4
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.84 Tumor ploidy: 1.926 SNV log−likelihood: −124.8 GoF: 25.6% Mean coverage: 160
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1103.57
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
3m2
2m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
0.2
0.4
0.6
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.865
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 4.865 SNV log−likelihood: −185.2 GoF: 0% Mean coverage: 160
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1230.12
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m3
6m3
5m2
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m4
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 3.773
0
1
2
3
4
5
6
7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.54 Tumor ploidy: 3.773 SNV log−likelihood: −122.33 GoF: 42.9% Mean coverage: 160
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1007.53
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m3
4m2
5m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 5.699
0
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.48 Tumor ploidy: 5.699 SNV log−likelihood: −125.31 GoF: 57.2% Mean coverage: 160
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 815.45
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m4
6m3
7m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m6
7m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2.933
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−3
−2
−1
0
1
log2 ratio


Purity: 0.95 Tumor ploidy: 2.933 SNV log−likelihood: −208.56 GoF: 0% Mean coverage: 160
14
B−Allele Frequency
0.2
0.4
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 331.6
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
3m2
4m2
3m1
2m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Coverage (log2)
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
0.2
0.4
0.6
Allelic fraction


Allelic fraction (somatic)
0.10
0.12
0.14
0.16
0.18
0.20
0.22
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Frequency
0
1
0.25
0.30
0.35
0.40
Cellular fraction