






Purity: 0.76 Tumor ploidy: 2.924
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.76 Tumor ploidy: 2.924 SNV log−likelihood: −121.25 GoF: 36% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1249.19
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m2
1m0
1.0
0.8
0.6
0.4
0.2
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
10
9
8
7
6
5
0.2
0.4
0.6
0.8
1.0



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
3m1
0.6
0.5
0.4
0.3
0.2
0.1
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
6
5
4
3
2
1
0
0.2
0.4
0.6
0.8
1.0



Purity: 0.95 Tumor ploidy: 3.924
2
3
4
5
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.95 Tumor ploidy: 3.924 SNV log−likelihood: −105.49 GoF: 61.7% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1217.25
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



2m2
4m3
2m1
4m2
Allelic fraction (germline)
Copy Number log−ratio
1.0
0.8
0.6
0.4
0.2
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
10
9
8
7
6
5
0.2
0.4
0.6
0.8
1.0



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.30
0.25
0.20
0.15
0.10
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
6
5
4
3
2
1
0
0.2
0.4
0.6
0.8
1.0



Purity: 0.71 Tumor ploidy: 5.853
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.71 Tumor ploidy: 5.853 SNV log−likelihood: −135.14 GoF: 91.7% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1250.62
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
6m4
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 4.852
1
3
4
5
6
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.42 Tumor ploidy: 4.852 SNV log−likelihood: −165.78 GoF: 74.7% Mean coverage: 377
14
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1289.49
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
3
4
6
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
5m4
5m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m4
5m1



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 5.837
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.42 Tumor ploidy: 5.837 SNV log−likelihood: −145.24 GoF: 72.6% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1236.61
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
7m5
6m3
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m1



Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 1.924
0
1
2
3
0.6
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.52 Tumor ploidy: 1.924 SNV log−likelihood: −170.83 GoF: 22.6% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1175.3
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 2.925
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.58 Tumor ploidy: 2.925 SNV log−likelihood: −138.61 GoF: 50.8% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1097.9
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m2
3m1
1m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
3m1



Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 5.851
0
1
2
3
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.21 Tumor ploidy: 5.851 SNV log−likelihood: −183.55 GoF: 53.4% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1208.42
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
7m5
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m6
6m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 3.924
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.75 Tumor ploidy: 3.924 SNV log−likelihood: −120.38 GoF: 71.7% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1028.82
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m3
2m1
4m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 3.865
1
2
3
4
5
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.47 Tumor ploidy: 3.865 SNV log−likelihood: −166.46 GoF: 69.4% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1105.74
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
4m2
5m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 3.926
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.58 Tumor ploidy: 3.926 SNV log−likelihood: −148.71 GoF: 67.4% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 978.94
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
4m1
m1
m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 1.925
1
2
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio



Purity: 0.75 Tumor ploidy: 1.925 SNV log−likelihood: −132.36 GoF: 0% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 763.69
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 2.931
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
2.5
log2 ratio


Purity: 0.45 Tumor ploidy: 2.931 SNV log−likelihood: −189.34 GoF: 43% Mean coverage: 377
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 884.45
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
m0
3m2
4m3


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1


Frequency
Cellular fraction