

Section_Quiz_Variables_Conditionals

🕒 Created time	August 24, 2026 5:03 AM
☰ Category	Conditionals
👤 Last edited by	 R.A R.A
🕒 Last updated time	August 24, 2026 5:11 AM

1 / 10

In an "if" statement, what comparison symbol would you use to check to see if two items are equal?

☐ = (equals)

☒ == (double equals) ✓

☐ <>

☐ != (exclamation point equals)

2 / 10

In an "if" statement, what comparison symbol would you use to check to see if two items are not equal?

not = (not equal)

== (double equals)

<>

!= (exclamation point equals)



3 / 10

When you want to say "if 1 equals 2 or 5 equals 6" in C#, what symbol would you use for the "or"?

&&

||



or

xor

4 / 10

When you want to say "if 1 equals 2 and 5 equals 6" in C#, what symbol would you use for the "and"?

☒ &&



☐ ||

☐ or

☐ xor

5 / 10

What variable type would best store a person's name (like "Fred" or "Sue")?

☐ int

☐ double

☐ decimal

☒ string



☐ bool

6 / 10

What variable type would best store a person's age (like 37 or 21)?

int



double

decimal

string

bool

7 / 10

What variable type would best store a person's bank account balance (like \$21.01 or \$8,435.12)?

int

double

decimal



string

bool

8 / 10

What variable type would best store the value of one number divided by another (like 18 or 3.3333)?

int

double



decimal

string

bool

9 / 10

What variable type would best store the value of whether or not a person is alive (like true or false)?

int

double

decimal

string

bool



10 / 10

What are the three parts to this variable declaration
(in order): `string streetAddress = ""`;

Variable name, type and initial value.

Variable type, name and initial value. ✓

Variable constructor, type and modifier.

This is an invalid variable declaration.