

Середні для кожного готелю, євро (на основі фактичних заселень):

- ADR (ціна номера за ніч),
- дохід за заселення,
- загальний дохід протягом досліджуваного періоду.

 hotel adr&revenue Run Save Schedule Share

File Edit Run Tools

```
1 SELECT hotel,
2     ROUND(AVG(average_daily_rate), 2) as avg_adr,
3     ROUND(AVG(total_revenue), 2) as avg_revenue,
4     SUM(total_revenue) as total_revenue_for_the_entire_period
5 FROM `hotel-bookings-project-498318.hotel_bookings.booking_details` bd
6     JOIN `hotel-bookings-project-498318.hotel_bookings.revenue` r
7     ON bd.booking_id = r.booking_id
8 WHERE is_canceled = 0
9 GROUP BY hotel
```

 Query completed

Using on-demand processing quota

Query results

Job information		Results	Visualization	JSON	Execution details	
Row	hotel	avg_adr	avg_revenue	total_revenue...		
1	Resort Hotel	90.15	398.18	11517740.67...		
2	City Hotel	105.91	311.81	14369399.44...		

Середня тривалість перебування гостей в днях для кожного готелю (на основі підтверджених заселень)

avg_stay_duration

Run Save Schedule Share

File Edit Run Tools

```
1 SELECT hotel,
2     ROUND(AVG(total_nights), 2) as avg_stay
3 FROM `hotel-bookings-project-498318.hotel_bookings.stay_details` sd
4 JOIN `hotel-bookings-project-498318.hotel_bookings.booking_details` bd
5 ON sd.booking_id = bd.booking_id
6 WHERE is_canceled = 0
7 GROUP BY hotel
```

Query completed

Using on-demand processing quota

Query results

Job information

Results

Visualization

JSON

Execution details

Row	hotel	avg_stay
1	Resort Hotel	4.14
2	City Hotel	2.92

Топ-5 найзавантажених календарних місяці для кожного готелю

Примітка: оскільки в нас набір даних Jul 2015 - Aug 2017, щоб коректно порахувати пікові місяці (Jul та Aug тричі, інші місяці зустрічаються 2 рази) візьмемо середню к-сть по місяцям для кожного готелю.

top5_arrivals_months

Run Save Schedule Share

File Edit Run Tools

```
1 SELECT hotel, top_arrivals_months, arrival_date_month, avg_monthly_arrivals
2 FROM ( SELECT
3     hotel,
4     arrival_date_month,
5     ROUND(COUNT(*) / CASE
6         WHEN arrival_date_month IN ('July', 'August') THEN 3
7         ELSE 2
8     END, 0) AS avg_monthly_arrivals,
9     ROW_NUMBER() OVER (PARTITION BY hotel ORDER BY ROUND(COUNT(*) / CASE
10         WHEN arrival_date_month IN ('July', 'August') THEN 3
11         ELSE 2
12     END, 0) DESC) AS top_arrivals_months
13 FROM `hotel-bookings-project-498318.hotel_bookings.booking_details`
14 WHERE is_canceled = 0
15 GROUP BY hotel, arrival_date_month)
16 WHERE top_arrivals_months <= 5
17 ORDER BY hotel, avg_monthly_arrivals DESC
```

Query completed

Using on-demand processing quota

Query results

Job information		Results	Visualization	JSON	Execution details	Execution graph
Row	hotel	top_arrivals_mon...	arrival_date_month	avg_monthly_arri...		
1	City Hotel	1	May	2284.0		
2	City Hotel	2	June	2179.0		
3	City Hotel	3	October	2163.0		
4	City Hotel	4	September	2142.0		
5	City Hotel	5	March	2025.0		
6	Resort Hotel	1	October	1288.0		
7	Resort Hotel	2	March	1285.0		
8	Resort Hotel	3	April	1275.0		
9	Resort Hotel	4	May	1268.0		
10	Resort Hotel	5	February	1154.0		

Середній відсоток скасування бронювань для кожного готелю, %

cancel... ype

+

🔍 cancellation_%_by_hotel_type

Run

Save query

Download

```
1 SELECT hotel,
2     ROUND((SUM (is_canceled) / COUNT(is_canceled)) * 100, 1) as cancellation_perc
3 FROM `hotel-bookings-project-498318.hotel_bookings.booking_details`
4 GROUP BY hotel
```

✔ Query completed

Using on-demand processing quota

Query results

Chat

Save results

Open in

<

Job information

Results

Visualization

JSON

Execution details

E

>

Row	hotel	cancellation_perc
1	Resort Hotel	27.8
2	City Hotel	41.8

Топ-5 країн походження гостей для кожного готелю

top_guests_countries Run Save Schedule Share

File Edit Run Tools

```

1 SELECT hotel, country_name, top_country, no_of_guests, ROUND((no_of_guests / total_guests) * 100, 1) AS perc_share
2 FROM (SELECT hotel,
3             country_name,
4             COUNT(*) AS no_of_guests,
5             SUM(COUNT(*)) OVER (PARTITION BY hotel) AS total_guests,
6             ROW_NUMBER() OVER (PARTITION BY hotel ORDER BY COUNT(*) DESC) AS top_country
7 FROM `hotel-bookings-project-498318.hotel_bookings.booking_details` bd
8 JOIN `hotel-bookings-project-498318.hotel_bookings.guests` g
9 ON bd.booking_id = g.booking_id
10 WHERE is_canceled = 0
11 GROUP BY hotel, country_name)
12 WHERE top_country <= 5
13 ORDER BY hotel, no_of_guests DESC

```

✓ Query completed

Using on-demand processing quota

Query results

Job information	Results	Visualization	JSON	Execution details	Execution graph
Row	hotel	country_name	top_country	no_of_guests	perc_share
1	City Hotel	Portugal	1	10793	23.4
2	City Hotel	France	2	7069	15.3
3	City Hotel	Other Countries	3	6421	13.9
4	City Hotel	Germany	4	5010	10.9
5	City Hotel	United Kingdom	5	3746	8.1
6	Resort Hotel	Portugal	1	10184	35.2
7	Resort Hotel	United Kingdom	2	5921	20.5
8	Resort Hotel	Spain	3	3105	10.7
9	Resort Hotel	Other Countries	4	2584	8.9
10	Resort Hotel	Ireland	5	1734	6.0

Найпопулярніший тип харчування для кожного готелю

top_meal

Run Save Schedule Share

File Edit Run Tools

```
1 SELECT hotel,
2     meal_type,
3     no_of_meals,
4     ROUND((no_of_meals / total_meals) * 100, 1) AS perc_share
5 FROM (SELECT hotel,
6     meal_type,
7     COUNT(*) AS no_of_meals,
8     SUM(COUNT(*)) OVER (PARTITION BY hotel) AS total_meals,
9     ROW_NUMBER() OVER (PARTITION BY hotel ORDER BY COUNT(*) DESC) AS top_meal
10 FROM `hotel-bookings-project-498318.hotel_bookings.booking_details` bd
11 JOIN `hotel-bookings-project-498318.hotel_bookings.stay_details` sd
12 ON bd.booking_id = sd.booking_id
13 WHERE is_canceled = 0
14 GROUP BY hotel, meal_type)
15 WHERE top_meal = 1
16 ORDER BY hotel, no_of_meals DESC
```

✔ This query will process 6.15 MB when run.

Using on-demand processing quota

Query results

Job information		Results	Visualization	JSON	Execution details	Execution graph
Row	hotel	meal_type	no_of_meals	perc_share		
1	City Hotel	Bed & Breakfast	35570	77.2		
2	Resort Hotel	Bed & Breakfast	22159	76.6		