
Table of Contents

.....	1
In this script, you need to implement three functions as part of the k-means algorithm.	1
Initialize Data Set	1
After initializing, you will have the following variables in your workspace:	2
To visualize an image, you need to reshape it from a 784 dimensional array into a 28 x 28 array.	2
After importing, the array 'train' consists of 1500 rows and 785 columns.	3
This next section of code calls the three functions you are asked to specify	3
The next line initializes the centroids. Look at the initialize_centroids()	3
Initialize an array that will store k-means cost at each iteration	4
This for-loop enacts the k-means algorithm	4
This section of code plots the k-means cost as a function of the number	4
This next section of code will make a plot of all of the centroids	5
Function to initialize the centroids	6
Function to pick the Closest Centroid using norm/distance	7
Function to compute new centroids using the mean of the vectors currently assigned to the centroid.	7

```
clear;
close all;
```

In this script, you need to implement three functions as part of the k-means algorithm.

These steps will be repeated until the algorithm converges:

```
% 1. initialize_centroids
% This function sets the initial values of the centroids

% 2. assign_vector_to_centroid
% This goes through the collection of all vectors and assigns them to
% centroid based on norm/distance

% 3. update_centroids
% This function updates the location of the centroids based on the
collection
% of vectors (handwritten digits) that have been assigned to that centroid.
```

Initialize Data Set

These next lines of code read in two sets of MNIST digits that will be used for training and testing respectively.

```
% training set (1500 images)
train=csvread('mnist_train_1500.csv'); % csvread reads the training file and
assigns it's values to array "train"

                                % which contains 1500 images(rows)
and 785 grey values of pixels(columns) for each image
trainsetlabels = train(:,785);    %The correct number value of the
generated image
```

```

train=train(:,1:784); %The actual array of grayscale values
train(:,785)=zeros(1500,1); %Sets the "answer keys" to zero

% testing set (200 images with 11 outliers)
test=csvread('mnist_test_200_woutliers.csv');
% store the correct test labels
correctlabels = test(:,785); %correct test labels
test=test(:,1:784); %Actual array of grayscale values
[numRowsTest, numColsTest] = size(test);
%test = zeros(numRowsTest, numColsTest);

% now, zero out the labels in "test" so that you can use this to assign
% your own predictions and evaluate against "correctlabels"
% in the 'csl_mnist_evaluate_test_set.m' script
test(:,785)=zeros(200,1);

```

After initializing, you will have the following variables in your workspace:

1. train (a 1500 x 785 array, contains the 1500 training images) 2. test (a 200 x 785 array, containing the 200 testing images) 3. correctlabels (a 200 x 1 array containing the correct labels (numerical meaning) of the 200 test images)


To visualize an image, you need to reshape it from a 784 dimensional array into a 28 x 28 array.

to do this, you need to use the reshape command, along with the transpose operation. For example, the following lines plot the first test image

```

figure;
colormap('gray'); % this tells MATLAB to depict the image in grayscale
testimage = reshape(test(1,1:784), [28 28]);
% we are reshaping the first row of 'test', columns 1-784 (since the 785th
% column is going to be used for storing the centroid assignment.
imagesc(testimage); % this command plots an array as an image. Type 'help
imagesc' to learn more.

```



After importing, the array 'train' consists of 1500 rows and 785 columns.

Each row corresponds to a different handwritten digit ($28 \times 28 = 784$) plus the last column, which is used to index that row (i.e., label which cluster it belongs to. Initially, this last column is set to all zeros, since there are no clusters yet established.

This next section of code calls the three functions you are asked to specify

```
k = 50; % set k <I set it k to 5 and the iteration to 8 randomly
max_iter = 50; % set the number of iterations of the algorithm
```

The next line initializes the centroids. Look at the initialize_centroids()

function, which is specified further down this file.

```
centroids=initialize_centroids(train,k);
```

Initialize an array that will store k-means cost at each iteration

```
cost_iteration = zeros(max_iter, 1);           %Gonna be our vertical axis but
starts out empty zeros
```

This for-loop enacts the k-means algorithm


```
for iter=1:max_iter
    for i= 1: length(train(:,1))
        % function 3a
        [idx, cost] = assign_vector_to_centroid(train(i,:),centroids);
        train(i,785)= idx;      %assigns predicted label to image
        cost_iteration(iter,:) = cost_iteration(iter,:) + cost;
    %vertical axis values
    end
centroids = update_Centroids(train, k);

end
```

This section of code plots the k-means cost as a function of the number

```
of iterations

figure;
plot(cost_iteration);
xlabel('Iteration');
ylabel('Cost');
title('K-means Cost');
```



This next section of code will make a plot of all of the centroids

Again, use help [functionname](#) to learn about the different functions that are being used here.

```
figure;  
colormap('gray');  
  
plotsize = ceil(sqrt(k));  
  
for ind=1:k  
    centr=centroids(ind,[1:784]);  
    subplot(plotsize,plotsize,ind);  
  
    imagesc(reshape(centr,[28 28])');  
    title(strcat('Centroid ',num2str(ind)))  
  
end
```



Function to initialize the centroids

This function randomly chooses k vectors from our training set and uses them to be our initial centroids. There are other ways you might initialize centroids. **Feel free to experiment.** Note that this function takes two inputs and emits one output (y).

```
centroid_labels=zeros(k,1);
for i=(1:k)
    clustermodes=trainsetlabels(train(:,785)==i);
    centroid_labels(i,1)=mode(clustermodes);
end

function y=initialize_centroids(data,num_centroids) % y is a matrix of
num_centroids x n

random_index=randperm(size(data,1));

centroids=data(random_index(1:num_centroids),:);

y=centroids;

end
```

Function to pick the Closest Centroid using norm/distance

This function takes two arguments, a vector and a set of centroids. It returns the index of the assigned centroid and the distance between the vector and the assigned centroid.

```
function [index, vec_distance] = assign_vector_to_centroid(data, centroids)

    data_vector = reshape(data(1:784), 1, 784);

    comparison = 100000000000000;
    index = 1;

    for i = 1:size(centroids,1)          %goes from 1 to number of rows of
centroids (aka the random images)
        centroid_vector = centroids(i,1:784);
        current_distance = norm(data_vector - centroid_vector)^2;

        if current_distance < comparison
            comparison = current_distance;
            index = i;
        end
    end

    % Return the index and the squared distance
    vec_distance = comparison;

end
```

Function to compute new centroids using the mean of the vectors currently assigned to the centroid.

This function takes the set of training images and the value of k. It returns a new set of centroids based on the current assignment of the training images.

```
function new_centroids=update_Centroids(data,K)

new_centroids = zeros(K,784);
for j = 1:(K)
    cluster = data(data(:,785) == j, 1:784);

    mean_cluster = mean(cluster,1);

    new_centroids(j,:) = mean_cluster;
end

end
```

Published with MATLAB® R2025a